

Accepted Abstracts

RS Abu-Rustum, MF Ziade, E Abu-Rustum (Lebanon): Is the size of the fetal renal pelvis gender-dependent at 20-24 weeks?

RS Abu-Rustum, MF Ziade, E Abu-Rustum (Lebanon): Measure what is measurable and make measurable what is not: Defining the spatial relationships between 8 anatomic planes in the 11-13 week fetus.

RS Abu-Rustum, MF Ziade, E Abu-Rustum (Lebanon): Normogram for frontomaxillary facial angle in a Lebanese population.

RS Abu-Rustum, MF Ziade, S Daou, E Abu-Rustum (Lebanon): Can the fetal NT help predict the evolution of hypoplastic left heart syndrome suspected at 11-14 weeks?

RS Abu-Rustum, MF Ziade, A Kesrouani, M Nassar, N Helou, SE Abu-Rustum, LS Daou (Lebanon): How good are we in prenatal diagnosis of congenital heart disease in Lebanon?

RS Abu-Rustum, S Daou, MF Ziade (Lebanon): To Coarct or not to coarct: does the third trimester 'golf club sign' help in differentiating true from false coarctation?

R Akolekar, A Syngelaki, L Poon, D Wright, KH Nicolaides (United Kingdom): 1st trimester screening: Competing risk model for PE.

M Albayrak, A Gungor, B Badoglu, H Eroglu, A Ozer, S Ozer (Turkey): Pregnancy associated uterine prolapse.

HA Alshahri (Libya): Gestational diabetes in Khoms hospital.

V Amarin, M Maata, N Abotaleb (Jordan): Surgical management of placenta accreta.

E Andreeva, N Odegova, F Lagkueva, S Stepnova, L Zhuchenko (Russia): Prenatal ultrasound diagnosis of genetic syndromes.

M Angelova, I Todorov (Bulgaria): Early prognostic factors for the progress of preeclampsia.

A Athanasiadis, P Petrakis, T Mikos, G Menekses, B Tzeveleki, A Tonakanian, G Menexes, A Gereade, B Vaitisi, E Assimakopoulos, B Tarlatzis (Greece): Perinatal outcome after genetic 2nd trimester amniocentesis with 20G versus 22G needle.

M Arlidge, A Mukherjee, R Mapanemunda, S Patni (United Kingdom): Fetal cardiac anomalies – antenatal detection rates and perinatal outcome data over a 3 year period.

R Axt-Fliedner, A Kawecki, J Degenhardt, C Enzensberger, T Kohl (Germany): Preoperative sonoanatomic examination of fetal spina bifida aperta permits prediction of surgical complexity during subsequent minimally-invasive fetoscopic closure.

R Axt-Fliedner, J Degenhardt, A Kawecki, C Enzensberger, R Stressig, T Kohl (Germany): Maternal outcome after minimally-invasive fetoscopic surgery for spina bifida aperta.

R Axt-Fliedner, J Degenhardt, A Kawecki, C Enzensberger, R Stressig, T Kohl (Germany): Minor bleeding events during fetoscopic surgery for spina bifida aperta result in small but hemodynamically not significant increases of fetal MCA PSV.

R Axt-Fliedner, J Degenhardt, R Schuerg, A Kawecki, C Enzensberger, T Kohl (Germany): Early neurological findings in 20 infants after minimally-invasive fetoscopic surgery for spina bifida aperta.

R Axt-Fliedner, R Schuerg, H Maxeiner, K Tchatcheva, J Degenhardt, A Kawecki, C Enzensberger, U Gembruch, T Kohl (Germany): Partial amniotic carbon dioxide insufflation during fetoscopic surgery in 60 fetuses with spina bifida aperta.

R Axt-Fliedner, K Tchatcheva, J Degenhardt, A Kawecki, C Enzensberger, R Stressig, U Gembruch, T Schaible, T Kohl (Germany): High survival rate after late FETO followed by postnatal ECMO therapy in infants with severe right diaphragmatic hernia.

I Babic, R Khan, F Shakeel, Saud Oufi, W Kurdi, S Mushtaq, Sara Javed (Saudi Arabia): Fetal echocardiography in the prenatal detection of congenital heart disease at a tertiary care center in Riyadh.

F Bacelar, P Alves, MH Pereira (Portugal): Pheochromocytoma during pregnancy.

- GM Baffero, E Somigliana, N Persico, F Crovetto, S Guernieri, F Lalatta, R Fogliani, L Fedele (Italy): Confined placental mosaicism: pregnancy outcome and postnatal development.
- M Bakker, P Mulder, E Birnie, CM Bilardo (Netherlands): Inter-operator reliability of manual and semi-automated measurement (SONO-NT)
- M Bakker, P Mulder, E Birnie, CM Bilardo (Netherlands): Manual and semi-automated measurement of fetal NT – are there any clinical significant differences?
- EM Barrabés, E Scazzocchio, C Comas, I Rodriguez (Spain): Assessment of uterine Doppler quality.
- D Baud, A Lausman, M Alfaraj, G Seaward, R Windrim, J Langer, G Ryan (Canada): Fetal gastroschisis perinatal outcome: induction of labour at 37 wks vs. expectant management.
- D Baud, J Keunen, G Seaward, T Mieghem, R Windrim, G Ryan (Canada): Fetoscopic laser surgery for TTTS before 17 and after 26 weeks' gestation.
- D Baud, R Windrim, J Kachura, A Jefferies, S Pantazi, T Mieghem, P Chiu, G Ryan (Canada): Radio-frequency ablation for fetal lung mass.
- M Bellotti, C Bulfoni, C Bulfoni, A Prada, P Bruzzese, J Riparini, G Claudia, R Marconi, A Marconi (Italy): Screening for major cardiac defects at the NT scan using high definition blood flow imaging mode (e-flow).
- A Benachi (France): FETO technique: Experience of a French centre.
- K Tchatcheva, I Gottschalk, U Herberg, J Breuer, U Gembruch, A Geipel, C Berg (Germany): Premature obstruction of the foramen ovale detected in fetal life.
- C Berg, I Gottschalk, A Vorndamme, R Stressig, J Ritgen, U Herberg, J Breuer, M Schneider, B Asfour, V Hraska, U Gembruch, A Geipel (Germany): Extracardiac anomalies in heterotaxy syndromes.
- J Bernard, H Cuckle, J Stirnemann, L Solomon, Y Ville (France): 1st trimester screening for spina bifida by BPD and AFP.
- A Bimbashi (Albania): Dydrogesterone in recurrent abortion.
- D Bomba-Opon, RBB Samaha, P Wegrzyn, S Kozłowski, R Rodzoch, M Wielgos (Poland): First trimester PIGF, ADAM 12, MAP and uterine artery PI in gestational diabetes and overweight pregnant women.
- I Boutas, C Sofoudis, O Gregoriou, N Salakos (Greece): Twin missed abortion: presentation of a rare case.
- M Brestak, P Calda, D McKenna, J Sonek (Czech Republic): Ventricular measurements and SFRV in fetuses with tricuspid regurgitation (TCR) and those without TCR at 11-13 weeks.
- J Calvo (United Kingdom): RCT: Arabin pessary to prevent preterm delivery in twins.
- E Casals, M Jané, C Aulesa, M Alsina, A Esquerda, J Ramis, I Mercadé, C Peña, N Serrat, D Cabrero, M Llovet (Spain): 1st trimester Catalan prenatal screening.
- E Celik, E Yilmaz, O Celik, I Turkcuoglu, A Karaer, Y Simsek, U Turhan, S Aydin (Turkey): Maternal and fetal serum salusin in GDM.
- GE Chalouhi, M Marangoni, M Zerah, Y Ville (France): Intrauterine treatment of suprasellar inter-hemispheric arachnoid cyst by fetocisternoscopy.
- YM Chan, DS Sahota, YM Wah, SY Hui, TK Lau, TY Leung (Hong Kong): Intra- and inter-observer reproducibility of ultrasound measurements of pelvic inlet diameter.
- CY Chen, CC Chang, C Yu, CW Lin (Taiwan): Immunomagnetic reduction for fetal fibronectin detection: a novel method to detect the preterm biomarker.
- T Chiba, H Yamashita, T Kakimoto, G Kitazumi, T Fukuyo, K Tanioka, T Mochizuki (Japan): Innovative Eyes and Hands to be Built into Fetal Intervention: Current "State-of-the-art" Technology.
- AG Cordier, JC Jani, MM Cannie, L Guilbaud, J De Laveaucoupet, J Martinovic, D Nowakowska, C Votino, M Milejska-Lewandowska, MV Senat, A Bianchi (France): Stomach position in left-sided congenital diaphragmatic hernia.

CLA Cordoba (Argentina): Reverse arterial perfusion sequence.

VN Costa, RMY Nomura, S Miyadahira, RPV Francisco, M Zugaib (Brazil): Correlation between BNP at birth as a marker of fetal cardiac dysfunction with antenatal Doppler parameters in placental dysfunction.

P Curcio, G Bagnasco, E Orlandi, G Cali (Italy): Screening for placenta accreta in the first trimester nuchal scan.

R D'Souza, R Raghuraman, P Nathan, I Manyonda, T Antonios (Canada): Capillary rarefaction, a hallmark of essential hypertension is not seen in low birth weight infants at birth.

A Dabirioskoei, S Mazloomzade, E Mehdi (Iran): Serum leptin level in pregnant women with preeclampsia and those with normal blood pressure.

P DeKoninck, J Deprest, P Lewi, J Richter, S Galjaard, J Van Keirsbilck, K Van Calsteren, L Lewi (Belgium): MCDA twins: Gestational age specific reference ranges for amniotic fluid assessment.

B Deloison, N Siauve, GE Chalouhi, D Balvay, CA Cuenod, O Clement, Y Ville, LJ Salomon (France): Placental perfusion assessment with dynamic contrast enhanced MRI.

KVN Dhananjaya, A Mahale, A Kumar, CM Rayapureddi (India): Sonological evaluation of fetal NT and correlation with pregnancy outcome.

C Drummond, R Oliveira, E Velloso, L Bussamra, E Cordioli (Brazil): Invasive procedures review of 10 years experience in a Fetal Medicine Center in Brazil.

M du Toit, L Geerts, P Schubert (South Africa): Documentation of progressive intra-placental haemorrhage.

L Dvořáková, J Paděrová, H Kuzelova, D Chudoba, D Novotná, P Křenková, J Drábová, Z Zmítková, M Macek Jr, M Macek Sr (Czech Republic): MLPA prenatal detection of all chromosome abnormalities.

V Ecim-Zlojutro, A Rodić, B Popović, J Topić, N Lučić (Bosnia-Herzegovina): Pregnancy over 35 years of age.

E Kelly, G Seaward, R Windrim, G Ryan (Canada): Fetal pleuroamniotic shunting in 114 large hydrothoraces.

E Elbadawy, M Awad, L Zayed, M Abdelnabi, O Khalil (Egypt): Intrapartum sonography in the first stage of labour.

E Elbadawy, M Awad, O Alashkar, A Nagaty (Egypt): Cesarean myomectomy. A contraindication or indication?

M Eleftheriades, P Pervanidou, H Vafaei, G Vaggos, I Dontas, K Skenderi, N Sebire, K Nicolaidis (Greece): Diverse Metabolic Profiles of adult whistar rats undergone prenatal and postnatal nutritional manipulation.

K Elmizadeh, F Lalooha, F Salehi (Iran): Advanced secondary abdominal pregnancy.

C Enzensberger, A Kawecki, J Degenhardt, M Vogel, T Kohl, R Axt-Flidner (Germany): Correlation between fetal cardiac diagnosis and comparison with postnatal findings.

C Enzensberger, J Degenhardt, M Vogel, A Kawecki, T Kohl, R Axt-Flidner (Germany): Fetal pulmonary venous flow and restrictive foramen ovale in hypoplastic left heart.

C Enzensberger, J Degenhardt, M Vogel, A Kawecki, T Kohl, U Gembruch, J Weichert, R Axt-Flidner (Germany): Fetal diagnosis of hypoplastic left heart, associations and outcomes in the current era.

RN Ergin, M Yayla (Turkey): Does placental site affect first trimester uterine artery PI values and uterine artery diastolic notch laterality?

RN Ergin, M Yayla (Turkey): Effect of number of feticides on birth weight and birth week in multiple pregnancy.

RN Ergin, M Yayla (Turkey): Fetal demise due to cord entanglement in early second trimester.

RN Ergin, M Yayla (Turkey): Loss of uterine artery notch: positive sign for larger term birth weight in non-preeclampsics.

H Ermiş, T Gunel, I Kalelioglu, K Aydınli (Turkey): Noninvasive fetal Rh blood type diagnosis in Rh incompatibility.

OG Eryilmaz, B Tavil, S Turhan, O Yumusak, M Doganay, O Uzunlar, S Akar, EG Eyi (Turkey): Hepcidin and Erythropoietin measurements in the cord blood of neonates with meconium-stained amniotic fluid.

- S Esin, A Gyimadu, Z Atak, O Ozyuncu, O Deren, L Onderoglu, T Durukan (Turkey): Preterm premature rupture of membranes in singleton versus twin pregnancies: The latency periods and clinical outcome.
- S Esin, B Yirci, D Esinler, O Aldemir, S Yalvac, H Dede, O Kandemir (Turkey): Antenatal diagnosis of Iniencephaly Apertus.
- M Eskandari, F Shadan (Iran): Study of changes in spirometric values during pregnancy.
- AC Esmer, I Kalelioglu, H Kayserili, A Yuksel, R Has (Turkey): Prenatal diagnosis of frontonasal dysplasia with anterior encephalocele.
- A Etchegaray, MR Sarquis, MG Esteban, E Beruti (Argentina): 1st trimester prediction of PE by the FMF algorithm.
- AN Evrenos, ANC Gungor, C Gulerman, E Cosar (Turkey): Obstetric outcomes of patients with abortus imminens in the first trimester.
- Y Fan, G Inocência, P Vieira, RM Rodrigues (Portugal): Electrical cardioversion in maternal paroxysmal supraventricular tachycardia with first onset during pregnancy.
- Y Fan, G Inocência, S Azevedo, JC Romo, J Silva, MC Rodrigues, MJ Carinhas, O Rodrigues (Portugal): Spontaneous rupture of utero-ovarian vessels in pregnancy.
- R Favre, AS Weingertner, N Trieu, A Kohler, C Mager, F Guerra (France): The feto-fetal transfusion rate in TAPS syndrome is not so low and regular.
- R Favre, A Weingertner, N Trieu, F Guerra (France): Vascular pattern in monochorionic placenta with and without TAPS.
- R Favre, AS Weingertner, N Trieu, F Guerra (France): Residual anastomoses after fetoscopic Laser for TTTS. Incidence and clinical outcome..
- R Favre, AS Weingertner, N Trieu, F Guerra (France): Vascular pattern in monochorionic placenta in case of TTTS with residual anastomoses and TAPS.
- C Ferreira, M Morais, A Sousa, I Cerveira, S Pereira (Portugal): First trimester anomaly scan audit.
- N Fontanarosa, A Al Ibrahim, G Chalouhi, M Essaoui, LJ Salomon, J Bernard, Y Ville (France): Iatrogenic PPROM after fetoscopy. Application of a Foley catheter on the membrane defect at the end of surgery.
- N Fontanarosa, A Al Ibrahim, M Essaoui, LJ Salomon, JP Bernard, Y Ville (France): Mapping of the vascular equator prior to surgery: are we doing well?
- A Fritsch, ALL Müller, MT Sansaverino, R Gus, P de Moura Barrios, MG Burin, E Cirolini, L Patusco, JA de Azevedo Magalhães (Brazil): Nonimmune hydrops fetalis.
- AA Gandásegui, ER Pacheco, M De la Puente Yagüe, TG Holguera, PS Ruiz, EA de la Fuente (Spain): Biochemical changes in first trimester screening and obstetric complications.
- G Gemelos, M Hill, Z Demko, B Levy, S McAdoo, M Rabinowitz (United Kingdom): Folic acid supplementation in pregnancy: results of a retrospective cohort study.
- MP Georgiev, E Kopac (Slovenia): Emotional connection between mother and father with the unborn child.
- Y Germanakis, S Pepes, C Gianakopoulou, M Raissaki, E Hatzidaki, S Sifakis (Greece): Fetal echocardiographic diagnosis of vascular ring due to right aorta -retroesophageal PDA.
- R Gerychova, L Hruban, P Janku, A Pejchalova, D Matuskova, I Borek (Czech Republic): Long-term follow up after in utero treatment by intrauterine transfusion for red-cell alloimmunisation.
- M Golic, L Hinkson, F Pauly, N Sarioglu, W Henrich (Germany): Delivery mode and perinatal outcome of twin pregnancies with velamentous cord insertion on the separating membrane.
- R Gonena, A Erez-Herzog, YI Grimpel, G Fihaman, A Nov, H Meiri, B Zion (Israel): Clinical performance of PP13 and background risk in predicting preeclampsia and its use for targeting prevention by Aspirin.
- K Gourounti, K Lykeridou, P Kourtis, P Nikolaidis (Greece): Validation of Cambridge Worry Scale in pregnant women undergoing prenatal screening in Greece.

- A Grdinic (Montenegro): Monochorionic twins: Dilemmas - how much we know, what can we do.
- AC Grigoriu, N Ladhani, A Lausman, B deVrijer, B Fitzgerald, S Keating, J Keunen, R Windrim, G Ryan (Canada): Importance of monitoring for TAPS in MC/DA twins without TTTS.
- M Groussolles, A Sartor, C Vayssière (France): Eight consecutive cases of twin anemia polycythemia sequence (TAPS): Diagnosis and management.
- F Guerra, N Trieu, A Weingertner, R Favre (France): Evaluation of endocervical length at 11-13 week's gestation.
- EG Guevara (Peru): Determination of fetal gender by ultrasound at 11-13 weeks.
- V Guigue, M Essaoui, A Al Ibrahim, NE Russell, N Bahi-Buisson, LJ Salomon, Y Ville (France): Antenatal cerebral lesions after laser coagulation for TTTS.
- T Gunel, I Kalelioglu, H Ermiş, K Aydınli (Turkey): Non-Invasive Prenatal Diagnosis of Down Syndrome by QF-PCR on cff DNA.
- L Daher, M Althuser, E Anastasiades, G Haddad (France): The fetal eye: a simple window for a more complex diagnosis.
- K Hajdu, M Kónya, Z Gasztonyi, J Bátorfi, B Lintner (Hungary): Down-syndrome screening and diagnosis in the first trimester in a genetic centre in Hungary.
- WS Hakami, MA Majeed-Saidan (Saudi Arabia): Major CNS malformation over a decade at Riyadh Military Hospital.
- CL Heredia, MRV Hernandez, LS Azuara, JL Juanós, MM Costa, FM Navarro, YC Estévez (Spain): Variable impact of fetal bowel dilation.
- M Hermann, MH Poissonnier, G Grangé (France): Fetal MCA PSV to predict fetal anemia after more than three intravenous fetal exchange transfusions for red-cell fetomaternal alloimmunization.
- M Hermann, MH Poissonnier, G Grangé, M Bernaux, M Lefèvre, V Tsatsaris, J Lepercq (France): Fetal MCA PSV after serial intravenous fetal exchange transfusions in the end of pregnancy.
- M Hermann, MH Poissonnier, G Grangé, M Lefèvre, V Tsatsaris, J Lepercq (France): Fetal MCA PSV to predict fetal anemia after more than two intravenous fetal exchange transfusions for red-cell fetomaternal alloimmunization.
- M Hermann, B Deloison, LJ Salomon, NE Russell, Y Ville (France): Cervical length in early pregnancy and spontaneous preterm delivery in twin pregnancies.
- I Holuskova, M Lubusky, M Studnickova, M Prochazka, K Vomackova (Czech Republic): Spontaneous antepartal RhD alloimmunization.
- ASY Hui, CM Chor, TY Leung, TK Lau (Hong Kong): RCT: Cervical pessary for preventing preterm birth in Chinese women with a short cervix.
- G Inocêncio, S Azevedo, M Isis, B António, L Coutinho, Y Fan, R Sousa, A Guedes, E Proença, M Mendes, S Álvares, M Rodrigues (Portugal): Fetal echocardiography.
- G Inocêncio, S Azevedo, Y Fan, A Braga, L Coutinho, R Sousa, J Pinto, J Santos, U Ramos, Ribeiro, ML Oliveira, MC Rodrigues (Portugal): Closed neural tube defects.
- T Ito, K Funamoto, C Velayo, K Funamoto, N Sato, K Tanabe, A Nakamura, Y Dong, Y Onuma, A Katsumata, N Yaegashi, Y Kimura (Japan): A novel approach to understanding perinatal hypoxic-ischemia.
- T Ito, K Funamoto, N Sato, A Nakamura, K Tanabe, T Hoshiai, K Suenaga, J Sugawara, S Nagase, K Okamura, N Yaegashi, Y Kimura (Japan): Maternal undernutrition induces the expression of hypoxia-related genes in the fetal brain.
- V Jain, G Clarke, L Russell, A McBrien, L Hornberger, C Young, S Chandra (Canada): Alloimmune thrombocytopenia, hemorrhagic anemia-induced fetal hydrops, maternal mirror syndrome and hCG-induced thyrotoxicosis.
- J Johnson, M Pastuck, A Metcalf, C Nilsson, G Connors, R Krause, D Wilson, H Cuckle (Canada): 1st trimester Down syndrome screening: Addition of serum PLGF and AFP enhances performance.
- S Kabbur, B Aeyemo, R Haloob (United Kingdom): Cauda equina in pregnancy.

Y Kacem, J Jani (Belgium): Estimation of fetal weight using MRI.

M Kacerovsky, J Lenco, V Tambor, I Musilova (Czech Republic): Proteomic identification of novel markers of intraamniotic infection in women with PPROM.

K Kagan, B Yazdi, H Abele, D Wright (Germany): Repeatability of CRL measurement and its impact on 1st trimester combined screening for trisomy 21.

K Kagan, B Yazdi, M Schaelike, J Sonek (Germany): The prefrontal space ratio in 2nd and 3rd trimester screening for trisomy 21.

K Kagan, M Hoopmann, B Yazdi, H Abele, K Luethgens (Germany): 1st trimester combined screening for trisomy 21 with PLGF, free b-hCG and PAPP-A.

EA Kalashnikova, EN Andreeva, EY Voskoboeva, NO Odegova, TG Tsvetkova, V Sudakova, IS Tokareva, SN Kokarovtseva, NA Serkova, FK Lagkyeva, ON Davydova, SV Stepnova, LA Zhuchenko (Russia): Realization of the National project «Prenatal diagnosis of developmental failure of the child» in the Moscow State region..

EA Kalashnikova, SN Kokarovtseva, NA Serkova (Russia): Combined screening for Down's syndrome in the Moscow State region.

P Karkhanis, S Patni (United Kingdom): Has 'preterm prevention clinic' (PPC) really made a difference?

M Kashanian, F Aghbali (Iran): First trimester maternal serum C-reactive protein (CRP) level in the prediction of pre-eclampsia.

E Katorza, E Bertucci, C Hoffmann, Y Gilboa, R Achiron (Israel): Vermian biometry in normal fetal posterior fossa: Comparing 3D-US, 3D-US and MRI measurements.

E Katorza, J Bault, Y Gilboa, Y Yinon, C Hoffmann, R Achiron (Israel): Prenatal visualization of the pituitary gland using 2D and 3D ultrasound imaging: Comparison to prenatal MRI.

E Katorza, L Zilka, E Konen, R Achiron, C Hoffmann (Israel): New frontiers in fetal imaging: MR-Ultrasonography collaboration team.

E Katorza, N Duvdevani, Y Yinon, Y Gilboa, C Hoffmann, R Achiron (Israel): Coronal measurement of fetal lateral ventricles.

E Katorza, R Achiron (Israel): Early pregnancy scanning for fetal anomalies - The new standard?

A Kesrouani, J Safi, MA El Hajj (Lebanon): Rapid evolution of a placental chorioangioma.

FZA Khan, SB Mazhar (Pakistan): Consanguinity and its association with sociodemographic variables in Pakistan.

Y Kimura, N Sato, J Sugawara, T Hoshiai, S Nagase, T Ito, Y Onuma, A Katsumata, K Okamura, N Yaegashi (Japan): Advanced fetal electrocardiography.

A Konstantinidou, A Katsimbali, N Dalkaraki, D Kappou, S Sifakis (Greece): Association of cleft lip/palate, narrow thorax, poly/syndactyly and genital abnormalities as a feature of various single gene disorders.

E Korkmazer, B Tekin, O Çilingir (Turkey): Relationship between recurrent pregnancy losses and apolipoprotein E gene polymorphism.

M AlMugbel, F AlAbri, E AlMardawi, M Tulbah, K Awartani, W Kurdi (Saudi Arabia): The validity of MCA PSV in determining severe anemia in previously transfused fetuses.

A Kurdi, M Majeed-Saidan, M Al Rakaf, A Al Hashim, A Ammari, M Tariq (Saudi Arabia): Pattern of malformation study in a Saudi Population Riyadh Military Hospital.

KW Choy, R Akolekar, J Huang, WP Chan, WC Leung, LW Chan, WL To, KY Leung, CC Wang, TK Lau, KH Nicolaides, RK Pooh, Leung (Hong Kong): Detection of chromosomal copy number variants by aCGH among fetuses with increased NT.

I Kyvernitakis (Germany): Can we prevent preterm birth earlier than 20 weeks in patients with cervical shortening due to conisation?

- R Lachmam, D Sodre, M Barmpas, R Akolekar, KH Nicolaides (Germany): 1st trimester prediction of absent corpus callosum.
- S Lacziko, M Veres, D Mocuta, D Craiut (Romania): Relationship between the hematological status of pregnant women and their newborns.
- S Lacziko, M Veres, L Antal, D Craiut (Romania): Relationship between umbilical vein blood flow and fetal hematological status.
- J Lai, A Pinnas, S Bakalis, C Birdir, E Bredaki (United Kingdom): 3rd trimester screening for PE and FGR.
- S Langlois, T Tucker, TN Nelson, JK Moore, M Schermer (Canada): Validation of a novel approach to assess the Fragile X locus repeats that is applicable to population carrier screening.
- G Lazic, V Ecim-Zlojutro (Bosnia-Herzegovina): Spinal anaesthesia in a parturient with arrhythmogenic right ventricular dysplasia and implantable cardioverter defibrillator.
- DB Leal, M Maggiolini, A Bianchi (Uruguay): Prenatal diagnosis and postnatal follow-up of patients with persistent right umbilical vein.
- K Leavitt, A de la Vega (Puerto Rico): Measurement of the crown-to-rump length at 13-25 weeks' gestation and its value in the early assessment of growth disorders.
- M Leruez-Ville, V Avettand-Fenoël, LJ Salomon, J Stirnemann, F Jacquemard, Y Ville (France): 1st trimester IgG avidity index in prediction of fetal cytomegalovirus infection.
- L Lewi, L Vandermeulen, P DeKoninck, J Van Keirsbilck, J Richter, JD Deprest (Belgium): Outcome of spontaneous versus ART conceived MCDA twin pregnancies.
- ITM Lindenburg, JMM vanKlink, VEHJ Smits-Wintjens, EP Verduin, H Schonewille, IL vanKamp, FJ Walther, JMM vanLith, HHH Kanhai, A Brand, D Oepkes, E Lopriore (Netherlands): LongTerm follow-up after intra-Uterine transfusionS: the LOTUS study.
- S Lipitz, B Weisz, B Chayen, Y Yinon (Israel): Selective termination in complicated MC pregnancies beyond viability.
- S Lipitz, Y Yinon, G Malinger, S Yagel, C Hoffman, M Tepperberg, B Weisz (Israel): Prenatal ultrasound and MRI in pregnancies with vertical transmission of CMV.
- E Llurba, B García, L Valle, M Juan, M Fernández, C Pérez-Matos, E Carreras, A Rodríguez, JM Lallia, L Cabero (Spain): RCT: Uterine Doppler screening at 20 wks to improve maternal and perinatal outcome (UTOPIA study).
- E Llurba, O Turban, T Kasdaglis, C Harman, A Baschat (Spain): Emergence of late-onset placental dysfunction in relationship to uterine artery resistance between the first and third trimesters.
- E Llurba, C Dominguez, O Sanchez, B Garcia, E Carreras, J Alijotas-Reig, L Cabero (Spain): Smoking during pregnancy: changes in angiogenic factors and the risk of developing pre-eclampsia.
- E Llurba, O Sánchez, G Marsal, C Domínguez, C Aulesa, M Sánchez-Durán, E Carreras, L Cabero (Spain): First trimester serum angiogenic/anti-angiogenic status in twin pregnancies: relation with assisted reproductive technology.
- AP Londero, G Caravaggi, S Visentin, P Driul, A Fruscalzo, A Biasioli, S Bertozzi, L Driul, D Marchesoni (Italy): Pregnancies with cardiotocographic alterations during labor.
- V Lonský, P Marcián, A Steriovský, K Pikrylová, K Fábiková, V Bruk, M Procházka (Czech Republic): Emergent aortic valve replacement in a pregnant 34-year-old with endocarditis.
- E Lopriore (Netherlands): Severe cerebral injury in expectantly managed TAPS.
- G Lozhankovski (Macedonia): Spontaneous regression of isolated unilateral foetal pleural effusion at 22 weeks' gestation.
- M Lubusky, I Holuskova, M Prochazka, M Studnickova, K Vomackova (Czech Republic): Incidence of erythrocyte alloimmunization in pregnant women.
- M Lubusky, O Simetka, M Studnickova, M Petros, I Dhaifalah, J Santavy, M Ordeltova, K Vomackova (Czech Republic): Fetomaternal haemorrhage in invasive prenatal diagnostic procedures.

- M Lubusky, O Simetka, M Studnickova, M Prochazka, M Ordeltova, K Vomackova (Czech Republic): Fetomaternal haemorrhage in delivery by cesarean section.
- M Lubusky, O Simetka, M Studnickova, M Prochazka, M Ordeltova, K Vomackova (Czech Republic): Fetomaternal haemorrhage in vaginal delivery.
- MFY Maeda, RMY Nomura, S Miyadahira, RPV Francisco, M Zugaib (Brazil): Correlation between fetal heart rate parameters and fetal cardiac troponin T at birth in pregnancies with placental dysfunction.
- KS Mahmudhanovna (Uzbekistan): Down's syndrome minority report.
- N Maiz, D Wright, AFA Ferreira, A Syngelaki, KH Nicolaides (Spain): Ductus venosus PI mixture model in screening for aneuploidies.
- N Malas, I Athamneh (Jordan): Diagnostic evaluation of pregnant women with acute abdominal pain - The role of imaging modalities.
- E Manolakos, V Bacoulas, M Eleftheriades, I Papoulidis (Greece): Prenatal diagnosis by array-CGH of a fetus with thrombocytopenia-absent radius syndrome in the first trimester.
- TR Martín, ON Velasco, CB López, JAR León, MC Betriu, AG Viñarás (Spain): Endocardial fibroelastosis in early pregnancy.
- A Mavrou, A Kolialexi, K Agianitopoulos, A Destouni, V Bagiokos, E Kanavakis, N Papantoniou, A Antsaklis (Greece): First trimester circulating DNA in maternal plasma and pre-eclampsia.
- J Michniewicz, A Rosner-Tenerowicz, M Baglaj, M Pomorski, A Wiatrowski, A Halon, M Zimmer (Poland): Primary intestinal congenital fibrosarcoma.
- R Minekawa, G Wakimoto, M Yokote, R Minami, K Masuda, K Yamamoto, A Miyake, M Tsuchida, S Hamada, I Shimizu, M Yamazaki, Y Murata (Japan): Placental mesenchymal dysplasia: Differential diagnosis from molar pregnancy by 3D inversion mode rendering.
- M Mishra, N Roberts, P Sinha, S Turpin, L Bennett (United Kingdom): Implementation of combined screening - changing trends.
- H Moczulska, K Janiak, M Slodki (Poland): Increased NT and normal karyotype in series of 57 fetuses.
- K Morris (United Kingdom): The PLUTO trial: percutaneous shunting in lower urinary tract obstruction.
- F Movahed, K Elmizadeh, TD Ghale, F Lalooha, E Hajseidjavadi, A Javadi, A Choopani (Iran): Qualitative detection of hCG in vaginal washing fluid for diagnosis of PPRM.
- J Murlawska, M Pietryga, J Brzert (Poland): Fetal liver length in diabetic pregnancy to predict macrosomia.
- I Musilova, M Kacerovsky, M Kostal (Czech Republic): Pulsation of the fetal splenic vein: marker of histological chorioamnionitis and funisitis in women with PPRM.
- A Nahid, MF Kabir (Bangladesh): Role of ultrasonography, radionuclide scan and fine needle aspiration cytology in the diagnosis of malignancy in solitary thyroid nodule.
- A Naim, H Al Dalies, M El Balawi, E Salem, K Al Meziny, R Al Shawwa, R Minutolo, P Manduca (Italy): Birth defects in Gaza and correlation with war related environmental factors.
- Y Nakamura, H Sato, T Hebiguchi, A Mochizuki, M Okuda, M Iwamoto, H Ishikawa, M Kawataki (Japan): Ebstein's anomaly diagnosed prenatally after positive signs in first trimester screening.
- M Niknejadi, F Ahmadi, Niknejad, Z Rashidi, Haghighi (Iran): Pregnancy outcomes of multiple pregnancies after assisted reproductive technology.
- M Niknejadi, SH Irani, M Javam, M Shabani (Iran): Sonographic findings of ectopic pregnancy following assisted reproductive technologies.
- C Nogueira-Silva, MJ Magalhães, N Teixeira, F Rodrigues, A Rocha, E Monteiro, JM Cruz, A Cadilhe (Portugal): Cleft lip and palate: our casuistic.

- C Nogueira-Silva, T Ramos, CL Abreu, F Rodrigues, N Teixeira, A Rocha, JM Cruz, A Cadilhe (Portugal): Fetal pleural effusion in a monochorionic twin pregnancy.
- NO Odegova, EN Andreeva, FK Lagkueva, SV Stepnova, EA Kalashnikova, EU Voskoboeva, OA Efimushkina, SN Kokarovceva, NA Serkova, EV Sudakova, TG Cvetkova, IS Tokareva, LA Zhuchenko (Russia): Implementation of the national project “prenatal diagnostics of congenital fetal defects” in the Moscow region.
- AS Oruç , I Mert, M Aktürk, E Aslan, B Polat, U Buyukkagıncı, N Daniřman (Turkey): Ghrelin levels are increased in patients with hyperemesis gravidarum.
- C M Otigbah, Z Kropiwnicka, A Nnochiri, G Badial, A Khan, N Agrawal, MO Thompson (United Kingdom): Blue berry sign: a new clinical sign for morbidly adherent placentae.
- H Oviedo-Cruz (Mexico): Sonoembryonic stages: A proposal for clinical application and research..
- H Oviedo-Cruz, AM Jiménez-Peña (Mexico): hCGfb and PAPP-A MoM-deviation in a Mexican population.
- H Oviedo-Cruz, JE Luján-Irastorza (Mexico): Embryonic hydrops: a case report for abnormal sonoembryology.
- H Oviedo-Cruz, JE Luján-Irastorza (Mexico): Fetal hepatic calcification associated to Down syndrome and maternal thrombophilia.
- H Oviedo-Cruz, SMO Villalobos-Acosta, AM Jiménez-Pérez, LE Cervantes-Parra (Mexico): Introducing Delfia Xpress in Mexico.
- L Padmanabhan, S Nampoothiri, Z Hamza, MV Thampi, K Radhamani, SK Pooja, JS Kadandale (India): Pallister – Killian syndrome.
- I Herman-Sucharska, J Zamłyński, J Bohosiewicz, A Urbanik, A Olejek, A Dubis, A Kucharek-Gajewska, M Paliga, St Horak, Mzamłyński (Poland): Influence of prenatal MRI on meningocele intrauterine surgery qualification.
- T Papapostolou, D Briana, M Boutsikou, C Iavazzo, K Puchner, D Gourgiotis, A Marmarinos, A Malamitsi-Puchner (Greece): Midtrimester amniotic fluid concentrations of angiogenic factors in relation to maternal, gestational and neonatal characteristics in normal pregnancies.
- A Papitashvili (Georgia): Electrical impedance index in maternal capillary blood samples: preclinical detection of specific changes to prevent pre-eclampsia.
- I Papoulidis, E Siomou, A Sotiriadis, G Efstathiou, A Psara, E Sevastopoulou, E Anastasakis, S Sifakis , T Tsiligianni , M Kontodiou, C Malamaki, M Tzimina, M Petersen, E Manolakos , A Athanasiadis (Greece): Dual testing with QF-PCR and karyotype analysis for prenatal diagnosis of chromosomal abnormalities.
- F Pinto, L Guedes, G Inocêncio, MJ Mendes, M Moreira, J Saraiva, C Dias, L Ferreira, V Costa, V Ribeiro, J Teixeira, J Santos, MC Rodrigues (Portugal): Neurosonography: The role of fetal brain MRI.
- L Poon, N Volpe, B Muto, A Syngelaki, KH Nicolaides (United Kingdom): 1st trimester prediction of stillbirth.
- G Poonam, N Anil, D Ashish (India): Isolated fetal ascites.
- K Preis, M Swiatkowska-Freund (Poland): Modification of Quintero staging for TTTS.
- K Preis, M Swiatkowska-Freund (Turkey): Psychological development of children after laser treatment of TTTS.
- K Preis, M Swiatkowska-Freund (Poland): Laser photocoagulation of superficial vessels supplying the placental tumor.
- R Quiroga, JM Vila-Vives, AP Puchalt, A Perez Aytes, FM Castellano, VD Almela, AP Marin (Spain): X-linked hydrocephaly due to L1-CAM mutation.
- S Raaba, P Schluter, P Beeby, J Hyett (Australia): Do term infants admitted to the Neonatal Intensive Care Unit (NICU) after birth have a raised nRBC count?
- R Rabinovitz, T Avitan, N Algor, O Shen, M Kovo, L Screiber, MS Schimmel, A Samueloff, S Grisaru-Granovsky (Israel): Reduced fetal urine production rate in PPRM predicts adverse neonatal outcome.
- G Gemelos, M Hill, Z Demko, B Levy, S McAdoo, M Rabinowitz (USA): Highly accurate non-invasive detection of fetal aneuploidy of 13, 18, 21 and sex chromosomes by targeted sequencing .

HO Raji, MA Ijaiya, AP Aboyeji (Nigeria): Unmet need for fetal medicine practice in Nigeria.

MI Reis, I Brito, M Mouraz, L Martins, S Pedroso, R Rodrigues, F Nunes (Portugal): Effect of first-trimester fetal NT thickness in predicting onset of gestational diabetes mellitus and fetal morphological abnormalities.

MI Reis, S Ferreira, NS Prado, C Reimão, L Martins, E Reis, R Rodrigues, F Nunes (Portugal): Listeriosis in pregnancy. Is the epidemiological context of importance in the diagnosis.

N Roberts, S Turpin, P Sinha, M Mishra, N Jabbur (United Kingdom): Prenatal detection rate of congenital heart defects in a DGH- Are we meeting the standard?

A Rodi, V.Éćim-Zlojutro, B Popović, J Topić, N Lučić, D Draganović (Bosnia-Herzegovina): Outcome of pregnancy in women over 35 years of age.

L Rosignoli, E Periti (Italy): Usefulness of combined test in women aged 35 years or more.

L Rosignoli, E Periti, P Palagi (Italy): Two-stage combined test in a large population..

G Ryan, R Chaturvedi, M Seed, E Jaeggi (Canada): Percutaneous Stenting of the atrial septum in human fetal left atrial hypertension.

A Saberi, G Shariati, A Poshtkoochian, FA Malmiri, M Hamid, M Barati, N Shahbazian, N Saadati, S Masihi (Iran): Prenatal diagnosis by amniocentesis and chorionic villus sampling.

LJ Salomon, JP Bernard, A Millischer, P Sonigo, F Brunelle, N Boddaert, Y Ville (France): MRI and Ultrasound fusion imaging for prenatal examination.

LJ Salomon, C Montlahuc, T Quiberl, R Porcher, Y Ville (France): Institutional performance of fetoscopic selective laser coagulation for TTTS: CUSUM based approach.

L Salomon, A Alberti, V Malan, M Lelorc'h, E Pelletier, A Couloux, C Hyon, F Vialard, P Rozenberg, JF Oury, T Schmitz, S Romana, L Bussi eres, J Weissenbach, M Vekemans, Y Ville (France): Non-invasive prenatal diagnosis of trisomy 21 based on free fetal DNA analysis.

LJ Salomon, R Mangione, P Boukobza, N Fries (France): Are qualitative and quantitative NT quality-control processes related?

LJ Salomon, R Porcher, H Lamrani, Y Ville (France): Optimal number of NT measurements at 11-14 weeks of gestation.

V Savasi, L Mandia, L Ghisoni, A Laoreti, P Duca, I Cetin (Italy): PAPP-A and free β -hCG in screening of Down syndrome in egg donation pregnancies.

T Savchuk (Ukraine): Normal foetal trabecular/compact myocardium ratio and the ratio in cases of left ventricular hypoplasia in different gestational ages.

K Seethram, U Durland, J Havelock, J Roberts, C Lawrence (Canada): First trimester PLGF levels in pregnancies achieved spontaneously and through assisted reproductive technologies.

R Gonzalez, S Aedo, V Dezerega, AE Wong, W Sepulveda (Chile): Frontonasal fold-to-nasal bone length ratio as a prenatal sonographic marker for trisomy 21.

W Sepulveda, AE Wong, L Simonetti, E Gomez, R Saez, J Gutierrez, V Dezerega (Chile): Ectopia cordis in 1st trimester sonographic screening for aneuploidy.

A Sep ulveda-Mart inez, H Mu oz, D Pedraza, E Vald es, M Parra-Cordero (Chile): BPD to NB ratio in 2nd trimester aneuploidies.

A Sep ulveda-Mart inez, G Rencoret, E Vald es, H Mu oz, M Parra-Cordero (Chile): Twin pregnancy: screening test for spontaneous preterm delivery and preeclampsia during the second trimester of pregnancy.

A Sep ulveda-Mart inez, N Urbano, H. Mu oz, R Caballero, M Parra-Cordero (Chile): Natural history of multiple pregnancy from first trimester of pregnancy.

M Sezik, HT Sezik, EG Yapar Eyi (Turkey): Predicting placental abruption in preeclamptic women: The utility of admission laboratory tests.

- N Shahbazian, M Barati, P Arian, N Saadati (Iran): Comparison of complications of chorionic villus sampling and amniocentesis.
- FR Sharbaf, M Kasreian, Niroomanesh, A Jamal, S Najafi (Iran): Fetal membrane thickness by ultrasonography: prediction for preterm delivery.
- A Shtylla, D Teferiçi, A Kruja, R Moisiu (Albania): Influence of parity on the outcome of twin pregnancies.
- S Sifakis, R Akolekar, D Kappou, N Mantas, K Nicolaides (Greece): Maternal serum Placental Growth Hormone (PGH) at 11-13 weeks' gestation in pregnancies delivering SGA neonates.
- Y Simsek, E Yılmaz, E Celik, MS Aydogan, Ö Çelik, T Toğal (Turkey): Major clinical determinants of maternal death among obstetric near-miss patients.
- Y Şimşek, M Gül, Ö Çelik, NE Aydın, SA Düz, E Çelik, E Özerol, HI Özerol, K Tanbek (Turkey): The role of inflammation in the pathogenesis of HELLP syndrome and its relation with placental electron microscopic changes.
- P Sinha, M Mishra, N Roberts (United Kingdom): Early diagnosis of Caesarean scar pregnancy.
- P Sinha, N Roberts, M Mishra (United Kingdom): Value of 3D scan in the diagnosis of lethal skeletal dysplasia.
- P Sinha, N Roberts, M Mishra (United Kingdom): Coexisting normal term fetus with complete molar pregnancy.
- P Sinha, N Roberts, M Mishra (United Kingdom): Idiopathic severe symmetrical IUGR diagnosed in early second trimester.
- P Sinha, N Roberts, M Mishra (United Kingdom): Recurrent congenital cardiac anomaly in 3 consecutive pregnancies.
- S Soares, AI Rodrigues, G Inocêncio, M Martins, P Soares, G Rodrigues, O Carmo, M Rodrigues (Portugal): Chromosome 1p36 deletion syndrome.
- I Solt, E Gutterman (Israel): Detection factitious labor using fetal/maternal heart rate monitoring.
- A Acton, C Downing, J Sonek (USA): Impact of FMF/USA accreditation status and operator experience on fetal NT distributions in the US..
- J Sonek, K Kagan, J Retzke, J Lehmann, B Yazdi (USA): Comparison of three methods of cervical measurement in the first trimester: straight line, two line, and tracing.
- A Souka, I Kavalakis, A Pilalis, I Papastefanou, M Eleftheriadis, E Troukis, K Basagiannis, E Faros, S Georgakila, D Kassanos (Greece): Assessment of the posterior brain at 11-14 weeks for the prediction of open neural tube defects.
- MJ Sousa, R Ribeiro, A Syngelaki, KH Nicolaides (Portugal): 1st trimester combined screening and autoimmune diseases: impact of pre-analytical variables on risk assessment.
- MI Srebniak, L Mout, M Boter, D Lont, P Noomen, D Van Opstal, RH Galjaard (Netherlands): Genomic SNP array in routine prenatal cytogenetic diagnosis for all indications.
- M Studnickova, M Lubusky, O Simetka, M Prochazka, M Ordeltova, K Vomackova (Czech Republic): Influence of maternal age, parity, blood group, gestational age and birth weight on fetomaternal haemorrhage in normal vaginal delivery.
- R Svirsky, H Meiri, A Herzog, HS Cuckle, R Mymon (Israel): First trimester maternal serum PP13 in singleton and twin pregnancies with and without severe pre-eclampsia.
- G Svyatova, Z Machmutova, G Berezina, D Salimbaeva (Kazakhstan): Prenatal genetic screening in Republic of Kazakhstan.
- M Torgal, C Gameiro, T Semenova, A Cordeiro, A Bernardo, A Santos, F Romão (Portugal): Increased NT in normal karyotype fetuses - 12 years follow up.
- N Trieu, R Favre, F Guerra, AS Weingertner (France): Transvaginal ultrasound aspect of the uterine scar at the first trimester of pregnancy.
- N Tsampras, A Louli, J Mallon, C Morgan, RH de Courcy-Wheeler (United Kingdom): Is this my husband's baby? Dilemma of partial Rhesus negativity.

S Tudorache, M Cara, DG Iliescu, C Patru, C Voicu, N Cernea (Romania): Second trimester bleeding of unknown origin: Risk factors and pregnancy outcomes.

S Tudorache, M Cara, DG Iliescu, R Dragusin, MFlorea, L Zorila (Romania): First trimester: should we screen for fetal heart? If so, how?

N Tul, I Verdenik, M Luovnik, M Druškovič, ŽNovak, I Blickstein (Slovenia): Twins conceived by artificial reproduction technologies and preterm birth rate – Slovenian population based study for the period 1987 - 2010.

OM Turan, M Atlas, S Turan, CR Harman, A Baschat (USA): Cardiovascular profile in recipient and donor twins and relationship with survival following laser treatment.

OM Turan, S Turan, EF Funai, IA Buhimschi, CR Harman, J Copel, CS Buhimschi, AA Baschat (USA): Fetal adrenal gland zone enlargement predicts preterm birth.

S Turan, OM Turan, J Dovgun, U Gembruch, CR Harman, C Berg, AA Baschat (USA): Patterns of compromised fetal brain growth in congenital heart defects.

L Lewi, L Vandermeulen, P DeKoninck, J Van Keirsbilck, J Richter, JD Deprest (USA): Timing of arrested fetal brain growth in congenital heart disease.

I Türkçüoğlu, E Celik, O Kaynar, E Yilmaz, E Tanrikut, A Karaer, O Celik, AB Karabulut (Turkey): Protein profile in hyperemesis gravidarum.

JM vanKlink, D Oepkes, FJ Walther, E Lopriore (Netherlands): Long-term neurodevelopmental outcome after selective feticide in complicated MC twin pregnancies.

K Van Calsteren, MJ Halaska, MM Gziri (Belgium): Long-term cognitive and cardiac outcomes after prenatal exposure to chemotherapy in children aged 18 months or older.

E Varvarigos, M Iaccarino, S Iaccarino, V Parisella, P Parisella, RN Laurini (Italy): V-Mode and B-Mode in differential diagnosis among hydrocephalic persistent Blake's pouch, non-hydrocephalic persistent Blake's pouch and Dandy Walker complex.

E Varvarigos, M Iaccarino, S Iaccarino, V Parisella, B Cuciniello, M Cirmeni, R Laurini (Italy): Left brachiocephalic vein: A tool to identify thymus edges.

E Varvarigos, M Iaccarino, S Iaccarino, V Parisella, B Cuciniello, P Parisella, R Laurini (Italy): Normal and anomalous fetal left brachiocephalic vein: Diagnosis of congenital superior vena cava anomalies and associated heart/vessels anomalies. Aberrant left brachiocephalic vein and aneuploidy.

E Varvarigos, M Iaccarino, S Iaccarino, V Parisella, B Cuciniello, RN Laurini (Italy): Trans-abdominal B-Mode vs V-Mode: influence of operator experience on performance with fetal brain mid-sagittal scan assessment.

ON Velasco, TR Martín, CB López, JAR León (Spain): Postnatal diagnosis of two cases of Moebius syndrome. Prenatal ultrasound findings.

ON Velasco, TR Martín, OAO Moreno, BV Mezquita, CB López, JAR León (Spain): Ectopia cordis and amniotic band syndrome, differential diagnosis with pentalogy of Cantrell.

L Velauthar, J Zamora, J Aquilina, KS Khan, S Thangaratnam (United Kingdom): 1st trimester uterine artery Doppler in predicting PE and FGR: a Meta analysis of 55 091 pregnancies.

C Velayo, J Rodriguez Calvo, N Sato, N Yaegashi, Y Kimura, K Nicolaidis (Japan): TTTS - Evaluation of cardiac performance by abdominal fetal ECG.

MR Vila, C Lesmes, M Mestre, L Serra, J Lleberia, S Pina, M Corona (Spain): Fetus with Pfeiffer syndrome.

N Vitoratos, C Sofoudis, D Hasiakos (Greece): Campomelic dysplasia.

EY Voskoboeva, EA Kalashnikova, TG Tsvetkova, EV Sudakova, IS Tokareva, ON Davydova, SN Kokarovtseva (Russia): Prenatal diagnosis of aneuploidy by quantitative fluorescent PCR in Russia.

C Votino, J Jani (Belgium): The STIC in the first trimester of pregnancy.

A Vuckovir, J Jani (Belgium): Tracheal occlusion in the fetal rabbit.

S Waheed, S Price, F Verani, A Zawislak (United Kingdom): Audit on management of twins delivered between 2009-2010.

P Wegrzyn, A Górski, D Borowski, D Bomba-Opon, M Wielgos (Poland): Evolution of indications for amniocentesis – six years experience after introduction of screening programme.

M Wielgos, K Bobrowska, D Bomba-Opon, B Kociszewska-Najman, Z Jabiry-Zieniewicz, A Cyganek, P Kaminski, B Pietrzak (Poland): Pregnancy after kidney and liver transplantation.

J Wojcicki, N Sochacki, S Salehi, M Swierniak, K Nicolaides (United Kingdom): Preliminary results of first trimester serum micro RNA expression in pregnancies complicated by gestational diabetes mellitus, pre-eclampsia and cholestasis.

HS Wong (Australia): Comparison of regimes for termination of pregnancy in the second trimester for fetal abnormality.

R Yamamoto, K Ishii, M Shimada, S Hayashi, N Hidaka, M Nakayama, N Mitsuda (Japan): Maternal screening for TORCH infection in cases of fetal growth restriction.

Y Yamamoto, B Thebaud, V Jain, LK Hornberger (Japan): In vivo validation of the treatment effect of sildenafil in a nitrofen induced congenital diaphragmatic hernia rat model.

E Yesildager, G Koken, R Demirel, D Ario, A Gungor, F Celik, M Yilmazer (Turkey): Perinatal outcomes in pregnancies with impaired 50 gr oral GTT but normal 100 gr oral GTT.

J Zamł, J Zamłyński, A Olejek, J Bohosiewicz, G Ziomek, P Bodzek, I Herman-Sucharska, E Kluczevska, A Gajewska-Kucharek, E Oleś, M Paliga, St Horak, Koszutski, M Zamłyński (Poland): Treatment of myelomeningocele by open fetal surgery. Comparison of prenatal and postnatal treatment

J Zamłyński, A Olejek, Gajewska-Kucharek J Bohosiewicz, G Ziomek, P Bodzek, I.Herman-Sucharska, E Kluczevska, AE Oleś, M Paliga, St. Horak, Koszutski, M Zamłyński, N Tul, I Verdenik, M Luovnik, M Druškovič, Ž Novak, I Blickstein (Poland): Intrauterine closure of myelomeningocele in fetuses with Chiari syndrome: Evolution of CNS changes during pregnancy.

Y Zeybek (Turkey): Clinical evaluation of cell-free fetal DNA quantities in preeclampsia.

A Zimmerman, Y Tobvin, R Maymon (Israel): New protocol for intrapartum 3D ultrasound assisted management of first stage of labor.