

12th World Congress in Fetal Medicine, June 23-27 Marbella, Spain

Abstracts accepted poster presentation

Aabadli A, Bessieres B (France): Lumbar spine length as an indicator of femur-trunk discrepancy

Aabadli A, Legendre L, Tribalat S, Virtos C (France): Fetal BMI by ultrasound

Abbey M, Akani C (Nigeria): Impact of environmental teratogens on the prevalence of fetal defects in Nigeria

Abe K (Japan): Intrapartum management of fetuses with trisomy 18

Abed Alhaleem R, Khammash H, Nazzal Z (Palestine): Use of antenatal corticosteroids among Palestinian obstetricians

Abreu-dos-Santos F, Coelho F, Silva M, Pinto P, Barros C (Portugal): Prenatal diagnosis of a sacrococcygeal teratoma

Abu-Rustum RS, Frangieh A, Fahed R, Soutou B, Abdelahad A (Lebanon): Limitations of 3D ultrasound in the prenatal evaluation of skin denudation syndrome

Abu-Rustum RS, Jreige WM (Lebanon): NIPT: False positive result for trisomy 13

Abu-Rustum RS, Ziade MF, Jreige WM, Chalhoub SS, Abu-Rustum SE (Lebanon): NIPT: Acceptability in Lebanon

Abu-Rustum RS, Ziade MF, Kesrouani AK, Abu-Rustum SE (Lebanon): Fetal nasal bone at 18-24 wks: normogram in a Lebanese population

Adiego B, Gonzalez-Spinola A, Ortega A, Moreno C (Spain): Open spina bifida at 12 wks with abnormal intracranial translucency

Adiego B, Gonzalez-Spinola A, Ruiz V, Crispin, G Serrano G (Spain): Performance of combined and contingent (nasal bone and ductus venosus) screening for trisomy 21 and 18

Adiego B, Martinez-Ten P, Illescas T, Recio M, Soler P, Crespo A (Spain): Prenatal diagnosis of frontonasal dysplasia

Adiego, Martinez-Ten, Illescas, Estevez, Recio, Huertas (Spain): Prenatal diagnosis of intracranial haemorrhage

Aditty K, Dhika P, Djasarito, Eddy T, Wiku A (Indonesia): Abdominal pregnancy misleading as hydatidiform mole

Adriaanse BME, Tromp CHN, Heymans MW, Van Vugt JMG, Haak MC (Netherlands): Prenatal examination of the semilunar valves by 4D ultrasound with STICK

Ahmed MH, Raman NV (United Kingdom): Chorionic bump: off the beaten path, first trimester sonographic finding

Aktulay A, Engin-Ustun Y, Kaymak O, Ozkan MS, Danisman N, Erkaya S (Turkey): c-reactive protein and human chitinase 3 like protein 1 levels in GDM

Aktulay A, Engin-Ustun Y, Ozkan MS, Demirtas C, Egi EGY, Mollamahmutoglu L (Turkey): Relationship between meconium staining and thymic stromal lymphopoietin

Aktulay A, Engin-Ustun Y, Ozkan MS, Erdinc AS, Yasar O, Danisman N, Erkaya S (Turkey): Increased serum Human Chitinase-3-like Protein 1 (YKL-40) in PE

Alawwad M, Ndaw J (Saudi Arabia): A case of PPH: treatment with recombinant factor VIIar

Albu D (Romania): Right aortic arch u shape type

Alcoba E, Etchegaray A, Martin N, Pierro P, Beruti E (Argentina): Cervical length in the management of threatened preterm labour

Aleksioska Papestiev I, Hadzi Lega M, Stefanija A, Jovanovska V, Kochoski G, Nikolovska E, Lazarova A, Tanturovski M, Nikolova T, Aleksioska N, Janushevska A, Chibisheva V (FYR Macedonia): Vaginal birth after caesarean section

Als Salman N (Syria): Vein of Galen aneurysm

Altug N, Kirbas A, Ersoy AO, Ozler S, Uygur D, Danisman N (Turkey): Fetal supraventricular tachycardia in a pregnancy with intrahepatic cholestasis

Alumbreros MT, Anaya MA, Pérez C, Garrido RA, Céspedes C, Ramírez M (Spain): Karyotyping vs molecular testing for chromosomes 21, 18, 13, X and Y in prenatal diagnosis of aneuploidies

Álvarez C, Fandiño E, Rodríguez MA (Spain): Extremes of maternal age and pregnancy outcomes

Álvarez C, Fandiño E, Rodríguez MA (Spain): FGR: obstetric and perinatal outcome

Álvarez C, Fandiño E, Rodríguez MA (Spain): Teenage pregnancy outcomes

Alvarez C, Parazuelo A, Holgado A (Spain): Twin pregnancy: labor and delivery

Alzouebi A, Boyd S, McEwan M, Sirha R, Ling HZ, Mulki O (United Kingdom): Large for gestation baby, a second class citizen?

Amaral P, Carvalho A, Couto A, Martins A, Martins L (Portugal): Bartter syndrome: a rare cause of polyhydramnios

Amarin V (Jordan): Prenatal diagnosis of vein of Galen aneurism by color Doppler

Amjadi, Alavi (Iran): Umbilical cord pH in pregnancies with meconium stained amniotic fluid

Andreeva E, Odegova N, Zhuchenko L (Russian Federation): New ultrasound sign for diagnosis spina bifida and Dandy Walker anomaly at 11-13 weeks

Angelova M, Todorov I (Bulgaria): Clinical significance of placental lakes in the 2nd and 3rd trimesters

Arafa A, Abdelaziz N, Sheikh S (United Kingdom): MC twins - management

Arafa A, Talaulikar V (United Kingdom): Vasa praevia in twin pregnancy: obstetric dilemma in diagnosis and management

Arafa A, Sheikh S, Abdelaziz N (United Kingdom): Prenatal diagnosis of CNS defects

Arafa A, Malek J (United Kingdom): Congenital diaphragmatic hernia: outcome

Arafa A, Narang L (United Kingdom): Prenatal diagnosis and management of congenital heart defects

Arafa A, Talaulikar V (United Kingdom): 1st trimester low PAPP-A and adverse pregnancy outcome

Arafa A, Talaulikar V (United Kingdom): Severe HELLP syndrome at borderline gestation for fetal viability

Arbuzova S, Nikolenko M, Telitchenko A, Krasnov A, Glazkova I, Averianov A (Ukraine): OSCAR in Ukraine-regional experience

Argyridis S, Christofides A (Cyprus): DC twins complicated by intrauterine death of one fetus

Argyridis S, Christofides A (Cyprus): Placental mosaicism complicated by FGR

Arrue M, Maiztegui M, Belar M, Trecet JC, Rodriguez MT, García M, Landa JM, Goiri C (Spain): A case of fetal situs ambiguous anomaly

Arrue M, Maiztegui M, Rodriguez MT, García M, Landa JM, Belar M, Trecet JC (Spain): A case of fetal bladder exstrophy

Atar Gurel S (Turkey): Prenatal diagnosis of congenital hallux varus deformity with inv (9) (p11;q12)

Atis A, Acar D, Gedikbasi A, Talmac M, Yilmaz E, Aslan H (Turkey): Fetal bilateral anotia with exposure to retinoic acid during pregnancy

Aydin Y, Ocal P, Sofiyeva N, Cepni I (Turkey): AMH level and fetal loss in ICSI pregnancies

Babic I, Washahi F, Al Nemer M (Saudi Arabia): Correlation between cervical cerclage and cesarean section

Bacelar F, Freitas T, Freitas P, Barros C, Alves P, Pereira H (Portugal): Pheochromocytoma during pregnancy

Bader RS (Saudi Arabia): Do prenatal intracardiac echogenic foci affect postnatal cardiac function?

Bader RS, Sahn CS, Sohaey R, Rice MJ, Sahn DS (Saudi Arabia): Live 3D quantitative echocardiographic assessment of fetal right ventricular volume

Baeva IY, Kagan II, Konstantinova OD (Russian Federation): Ultrasound biometry in the early prediction of macrosomia

Bakbak GBB, Pekin A, Kerimoglu SO, Yilmaz SA, Celik C (Turkey): Prenatal diagnosis of pentalogy of Cantrell at 12 weeks

Banovic V, Skarblin S, Banovic M, Rados M, Babic I (Croatia): Fetal brain MRI and long-term neurodevelopmental impairment

Barras S, De la Calle M, Bartha JL, Rodriguez R, Omenaca F (Spain): Monoamniotic twins: obstetric and perinatal outcome

Barros IBL, Rodrigues MC (Portugal): Prevalence of neural tube defects in northern Portugal

Begum F, Parveen T (Bangladesh): Jaundice in pregnancy and fetomaternal outcome

Bejiqi R, Retkoceri R, Bejiqi H, Zeka N, Retkoceri A, Surdulli S (Kosovo): Postnatal cardiac examination of infants from diabetic mothers

Bellotti M, Tiso G, Bruzzese P, Bulfoni C, Quadrelli F, Riparini J, Della Grazia S, Marconi AM (Italy): Detection of major CHD at 11-13 wks by high definition blood flow imaging mode (e-flow)

Bellotti M, Tiso G, Della Grazia S, Quadrelli F, Autuori MC, Riparini J, Marconi AM (Italy): 1st trimester diagnosis of CHD: evolution of cardiac anomalies

Beltagy NS EI, Deen S EI, Mohamed R (Egypt): Physical activity and diet control reduce the risk of developing GDM

Ben Jamaa N, Masmoudi A, Kacem S, Ben Amara M, Jabnoun S, Aloui N, Chelli D, Siala-Gaigi S (Tunisia): Solid hepatic tumor in a fetus

Bernath-Liao T, Nomura RMY, Liao AW, Francisco RPV, Zugaib M (Brazil): MC twins with placental insufficiency: fetal venous circulation in prediction of acidemia at birth or intrauterine fetal death

Berndl A (Canada): Fetal echocardiography facilitates optimal delivery site and low termination rate

Biberoglu, Togrul, Erdinc, Tuncer, Uygur, Danisman (Turkey): Maternal-fetal blood subgroup antigen incompatibility due to c antigen

Bidart Y, de Felipe O, Gonzalez M, Perez E, Rodriguez JM (Spain): Absence of ductus venosus associated with intrahepatic umbilical venous drainage without liver bypass

Bijok J, Dangel J, Jakiel G, Roszkowski T (Poland): Cardiac defects in euploid fetuses with nuchal translucency >3.5 mm

Bijok J, Massalska D, Ziora-Jakutowicz K, Ilnicka A, Pawlowska B, Jakiel G, Roszkowski T (Poland): Changing patterns in invasive prenatal diagnosis in a tertiary referral hospital in Poland

Bijok J, Posiewka A, Massalska D, Kucinska-Chahwan A, Jakiel G, Roszkowski T (Poland): Prenatal diagnosis of body stalk anomaly

Bijok J, Ziora-Jakutowicz K, Ilnicka A, Pawlowska B, Jakiel G, Roszkowski T (Poland): Increased fetal NT (>3.5 mm) and pregnancy outcome

Birchenall KA, Lacey L, Mukherjee S (United Kingdom): Joint fetal medicine and neonatology database for service evaluation

Birjandi SS, Shahri LM (Iran): Plasma level of magnesium and preeclampsia

Bisht S, Zakaria MRM, Gunasekhara A (United Kingdom): Placenta percreta presenting with intraabdominal bleed and acute abdomen at 25 wks

Boza Novo P, Leon Del Pino R, Gonzalez Macias C, Fernandez A, Juan J, Comino Delgado R (Spain): Perinatal outcomes in women with protein S deficiency treated with low molecular weight heparin

Brantner C, Jerabek-Klestil S, Campej S, Nehoda R, Scheier M (Austria): TAPS: prenatal management

Brestak M, Calda P, McKenna D, Sonek J (Czech Republic): Right ventricular measurements in fetuses with and without tricuspid regurgitation at 11-3 weeks

Brik M, Fernandez-Buhigas I, Santacruz B (Spain): 1st trimester PAPP-A and prediction of adverse perinatal outcome

Burden-Bailey V, Pattison G, Farrall L, Engineer N (United Kingdom): Prenatal detection and outcomes of fetal skeletal defects

Burgos J, Maiz N, Lasierra A, Rodriguez L, Osuna C, Centeno MM, Fernandez-Llebrec L (Spain): Remifentanyl vs nitrous oxide as analgesics for external cephalic version at term

Bustos JC, González V, Bustos-Orellana JC, Sepúlveda W (Chile): Umbilical artery half PSV deceleration time in FGR and perinatal death

Bustos JC, González V, Sepúlveda W (Chile): Umbilical artery PI and half PSV deceleration time in Down syndrome

Cabezas E, Martínez-Payo C, Chiverto Y, Nieto Y, García-Benasach F, Ruiz de Azúa M, Iglesias E (Spain): 1st trimester detection of single umbilical artery

Caldas R, Oliveira P, Rodrigues C, Mak K, Arias J, Campos A, Caldas P (Portugal): Intestinal endometriosis in pregnancy

Caldas R, Oliveira P, Rodrigues C, Mak K, Teles T (Portugal): Misoprostol for induction of labour

Calomfirescu MV, Muresan MB, Zvanca M, Nemescu D, Vayna AM, Veduta A, Murariu A, Sendroiu R, Marinescu G (Romania): 1st trimester screening in Romania by the FMF method

Caseiro A, Regalo A, Policarpo P (Portugal): Prenatal ultrasonographic evaluation of an intracranial tumor

Castillo W, Huertas E, Ingar J, Limay A, Zarate M (Peru): Multiparameter algorithm for identification of late FGR with normal umbilical artery doppler

Castro-Coelho F, Abreu-dos-Santos F, Freitas T, Silva M, Pinto P, Barros C, Pereira MH (Portugal): Parents who opt not to terminate a pregnancy with serious medical condition

Castro-Coelho F, Freitas T, Silva P, Abreu-dos-Santos F, Silva M, Pinto P, Barros C, Pereira MH (Portugal): Increased fetal NT and pregnancy outcome

Cespedes Casas C, Anaya Baz MA, Alumbrosos Andujar MT, Ramirez Gomez MM, Perez Parra C, Layos Castro M (Spain): Parvovirus B19 infection during pregnancy

Chalouhi GE, Bernardi V, Benzina N, Hajal N, Salomon LJ, Ville Y (France): Obstetrical ultrasound simulator: tool for auditing routine practice of experienced sonographers

Chalouhi GE, Bernardi V, Benzina N, Hajal N, Salomon LJ, Ville Y (France): Obstetrical ultrasound simulator: tool for improving teaching strategies for beginners

Chalouhi GE, Sonnier L, Stagnati V, Carrier A, Essaoui M, Salomon LJ, Ville Y (France): TTTS: concordance in ultrasound findings between referral and treatment centre

Chelly D, Hcini N, Boudaya F, Ben Miled S, Channoufi MB, Sfar E (Tunisia): Placenta accreta: prenatal diagnosis and management

Chelly D, Hcini N, Boudaya F, Ben Miled S, Channoufi MB, Sfar E (Tunisia): Prenatal diagnosis of hemimegalencephaly

Chelly D, Khediri Z, Meraihi F, Boudaya F, Ouertani I, Jeguirim h, Neifer I, Achour A, Chanoufi MB, Chaabouni H, Sfar E (Tunisia): Evolution of screening for fetal aneuploidies in Tunisia

Chen CH (Taiwan): Fracture dislocation of shoulder during eclampsia attack

Chen CY, Wang KG, Chen CP (Taiwan): Alteration of vascularization in PE placentas measured by 3D power Doppler ultrasound

Chen L, Lin K, Liu K, Wu H (Taiwan): 3D transabdominal ultrasonographic assessment of the cervix in asymptomatic women at 20-24 weeks

Cheng PJ, Huang SY, Chang CL, Hsiao CH, Soong YK, Duan T (Taiwan): Cardiovascular disease risk factors in 1st trimester prediction of severity of PE

Cheng PJ, Huang SY, Shaw SW, Hsiao CH, Ren YY, Tian F, Zhou DX (Taiwan): NIPT: Comparison of high and low risk population in taiwan

Chianchiano N, Macaluso AG, Palumbo E, Tornabene M, Polizzi M, D'Anna MR (Italy): Fetal malformations in twins according to chorionicity

Chiverto Y, Payo CM, Engels V, Cabezas E, Iglesias E (Spain): Obstetrical and perinatal outcome in pregnancies conceived by ART vs spontaneously

Chor CM, Hui SY, Leung TY (Hong Kong): Cervical length at 18-22 wks for prediction of spontaneous preterm birth in Chinese women

Cirigliano V, Ordonez E, Rueda L, Moreno M, Palao B, Ejarque M, Canadas MP (Spain): NIPT: Clinical implementation in Spain

Conserva V, Caruso S, Ceriani F, Ghisoni L, Guarnerio PP (Italy): An unusual case of fetal vessel rearrangement with a favorable outcome

Crispi F, Garcia-Canadilla P, Rudenick P, Cruz-Lemini M, Palau G, Bijnens B, Gratacos E (Spain): Computational model of fetal circulation to better understand aortic isthmus flow changes in FGR

Crosley E, Durland U, Seethram K, MacRae S, Gruslin A, Christians J (Canada): 1st trimester maternal serum PAPP-A2 are elevated in PE

Cruz Melguizo S, Alvarez Bernabeu R, Anton Marazuela M, Ronchas Martinez, Martinez Payo C (Spain): Maternal serum PAPP-A levels in large for gestational age fetuses

Cruz Melguizo S, Anton Marazuela M, Alvarez Bernabeu R, Ronchas Martinez M, Martinez Payo C (Spain): High levels of serum PAPP-A and large for gestational age fetuses

Cruz-Lemini FCM, Valenzuela-Alcaraz B, Figueras F, Gómez O, Sitges M, Bijmens B, Gratacós E (Spain): Fetal echocardiographic score for prediction of infant hypertension and arterial remodeling in FGR

Curcio P, Bagnasco G (Italy): Covered cloacal extrophy: an extremely rare variant

Czerwoniec W, Czerwoniec EM (Poland): ObGyn on canvas

Dagklis T, Margioulas-Siarkou C, Petousis S, Kalogiannidis I, Mavromatidis G, Mamopoulos A, Prapas N, Rousso D (Greece): Trends in ultrasound indications for amniocenteses over a 9-year period

Daher L, Sneifer E, Afif C, Bassil R, Kehdy G (Lebanon): Septic shock following expectant management of PPRM in one fetus in triplet pregnancy

Daher L, Sneifer E, Atta T, Bassil R, Kehdy G (Lebanon): Sudden hemodynamic shock in a 12 weeks heterotopic IVF pregnancy

Daniel- Spiegel, Goldstein, Faranesh-Khoury, Wiener (Israel): Prenatal diagnosis of septo-optic dysplasia

Darmawan F, Bakar SA, Marjono AB (Indonesia): Hemorrhagic stroke on postpartum eclampsia

Darmochwal-Kolarz D, Kolarz B, Oleszczuk J (Poland): Immunological profile of neonates born to mothers with PE

Darmochwal-Kolarz D, Kolarz B, Serafin A, Oleszczuk J (Poland): Expression of co-stimulatory molecules on antigen presenting cells in cord blood of healthy newborns

Day A, Cordina M, Bhatti S, Kametas N (UK): Thyroid function in pregnant women at risk for pre-eclampsia.

De Alvarado M, Figueroa H, Goity C, Lozano M, Eixarch E, Hernández-Andrade E, Gratacós E, and Irrazabal C (Chile): Effect of FGR in fetal rabbit kidney: fetal programming model

De Barth MB, Durks PT, Betat RS, Blos G, Superti Furga A, Cavalcanti D, Xavier ABCF, Rogatto SR, Zen PRG, Rosa RFM (Brazil): Prenatal features of autosomal recessive omodysplasia

De Barth MB, Durks PT, Dietrich C, Denardin D, Telles JAB, Targa LV, Betineli I, Da Cunha WS, Betat RS, Rosa RFM (Brazil): Fetus with ureterocele leading to dilation of the bladder and renal pelvis

De Barth MB, Durks PT, Dos Santos ESR, Biondo GF, Lazzari P, Marcolan AG, Rosa RFM, Telles JAB, Zen PRG, Duarte WI (Brazil): VACTERL association in a fetus of a mother with diabetes mellitus type 1

De Barth MB, Durks PT, Picetti J, Rosa RFM, Fell PRK, Betat R, Chazan DT, Pini C, Cunha AC, França SS (Brazil): Prenatal diagnosis of Pfeiffer syndrome type I

De Barth MB, Durks PT, Valdez CM, Rosa RFM, Sapper N, Picetti J, Savaris FE, Lisboa M, Fell PRK, Dietrich C (Brazil): Umbilical cord attached to the cephalic pole of a fetus with anencephaly

De Felipe O, Diaz Y, Perez E, Gonzalez M, Rodriguez JM (Spain): Isolated and atypical fetal intra-abdominal umbilical vein varix

De Jong-Pleij EAP, Vos FJ, Ribbert LSM, Bakker M, Bilardo CM (Netherlands): Forehead assessment in normal and pathological fetuses by the fetal profile line

De la Calle M, Gil M, Herrero B, Fernandez A, Bartha JL (Spain): CMV: treatment with maternal hyperimmune globulin

De la Calle M, Rodriguez R, Deirós L, Bartha JL (Spain): Fetal cardiac function in pregnant women infected by HIV

De Marcos A, Simioni C, Mosconi AP, Drummond CL, Oliveira RCS, Cordioli E (Brazil): Prenatal diagnosis of congenital adrenal hyperplasia

De Paco C, Ventura W, Delgado JL, Oliva R, Miguel M, Parrilla JJ (Spain): Uterine and umbilical artery PI at 19-22 wks: prediction of PE and FGR

Den Boogert AG, de Jong-Pleij EAP, Ribbert LSM, Pistorius LR, Tromp E, Bilardo CM (Netherlands): Fetal facial height and width in the 2nd and 3rd trimester by 3D ultrasound

DeSantis G, Wong D, Angkachatchai V, Mueller R, Whitley P, Kulkarni A, Moturi S, Agarwal N, Tran T, Rosenow D, Berkencamp S, Van den Boom D, Ehrich M (United States): NIPT: isolation of circulating cfDNA from maternal plasma in the maternit21™ plus test

Dhaifalah I, Sukupova M, Havalova J (Czech Republic): Hyperechogenic bowel and cystic fibrosis

Dhananjaya KVN, Arunesh R, Aparna B, Raksha M, Anil R (India): Role of fetal NT in 1st trimester detection and management of congenital anomalies

Diago-Almela VJ, Martinez-Varea A, Perales-Puchalt A, Alonso-Diaz R, Lopez-Honrubia JL, Perales-Marin A (Spain): Rescue cerclage: when to refrain?

Djokovic D, Veca P, Martins A, Costa C, Sousa M, Bacalhau D, Alves P, Cirurgiao F (Portugal): Ultrasonographic variables in the prediction of successful induction of labor

Dkacar, Gyildirim, Aaaydin, Haslan, Aekiz, Agedikbasi (Turkey): Prenatal diagnosis of fetal anomalies associated with mosaic trisomy 9

Draga E, Szaflik K (Poland): Laser therapy in a case of TTTS syndrome and cervical insufficiency

Durks PT, De Barth MB, Cunha AC, Rosa RFM, Bedin C, Betat RS, Arcolini CP, Dal Pai TKV, Gobatto AM, Bicca AMH (Brazil): Prenatal diagnosis of true knot of the umbilical cord in FGR

Durks PT, De Barth MB, Polli JB, Rosa RFM, Leitzke L, Kopacek C, Carvalho CG, Dalcin VE, Targa LV, Telles JAB (Brazil): Prenatal diagnosis of mosaicism 45,X/46,XY: challenge for genetic counseling

Durks PT, De Barth MB, Valdez CM, Altmayer S, Targa LV, Duarte WL, Rosa RFM, Faria AEV, Betat RS, Telles JAB (Brazil): Klinefelter syndrome and diaphragmatic hernia: fact or mere

coincidence?

Dzikova E, Hadzi-Lega M, Stefanija A, Dimitrov G, Cibiseva V, Janusevska A (FYR Macedonia): Effect of obesity on mode of delivery in patients with previous caesarean section

Eardley J (United Kingdom): Fetal MRI: neurodevelopmental outcome and parental perceptions of care

Eastman A, Patil K, Romero R, Sankaran S (United Kingdom): Renal volume as a predictor of postnatal outcome in antenatally detected hydronephrosis

Echevarria M, Rodriguez MA, Fournier S, Comas C, Rodriguez I, Serra B (Spain): Prediction of FGR by 1st and 2nd trimester biochemistry markers used in screening for Down syndrome

Egana-Ugrinovic, Sanz, Figueras, Bargallo, Couve, Gratacos (Spain): Fetal insular cortex and corpus callosum morphometry in late-onset FGR

Ekelund CK, Ball S, Wright D, Wulff CB, Tabor A, And The Danish Fetal Medicine Research Group (Denmark): 1st trimester biochemical markers in oocyte donated pregnancies

El Faramawy M (Egypt): Minimal invasive techniques and infertility

Elmousslemany M, Bearpark S, Ling HZ, Mulki O, Hamid R (United Kingdom): Root cause analysis of term babies admitted to SCBU

El-Refaeey A, Gibreel A, Fawzy M (Egypt): The Vv uterine compression suture for atonic postpartum hemorrhage

Elsheikhah A, Momtaz M, El-ghazaly H (Egypt): Adding exchange transfusion to top up transfusion improves outcome in fetal anaemia particularly in hydropic fetuses

Elsheikhah A, Momtaz M, El-ghazaly H (Egypt): Adding exchange transfusion to top-up transfusion for fetal anemia to improve outcome

Eltarhouny SA, Almasry SM, Elfayomi AK, Baghdadi H, Habib FA (Saudi Arabia): PLGF and sFLIT in diabetic pregnancy: relation to distal villous immaturity

Elzahaby I, El-Sheikhah A, El-Shenofy O, Wali I (Egypt): Increased vaginal pH and abnormal vaginal flora in relation to cervical length and prediction of preterm birth

Elzhorukaeva JA, Linda VA (Russian Federation): Modern concepts on miscarriage

Engin-Ustun Y, Aktulay A, Ozkan MS, Danisman N, Buyukkagnici U, Eyi E, Erkaya S (Turkey): Elevated serum kidney injury molecule 1 levels in PE

Ensari, Erdinc, Uygur, Kirbas, Danisman (Turkey): Amniotic band syndrome presented by abruption placenta

Enzensberger C, Tenzer A, Doelle A, Degenhardt J, Axt-Flidner R (Germany): Fetal cardiac function by 3D speckle tracking

Ergin RN, Demirel B, Kucukkaya B (Turkey): De novo systemic lupus erythematosus in very early pregnancy

Ergin RN, Yayla M (Turkey): 2nd trimester uterine artery pulsatility index in twins: effect of chorionicity

Ergin RN, Yayla M (Turkey): Outcome of multiple pregnancies reduced to twins

Erkenekli K, Ensari T, Uygur D, Kirbai A, Iskender CT, Dangman N (Turkey): Intrahepatic cholestasis of pregnancy; 5 years experience of a tertiary hospital

Erkilinc S, Oruc AS, Celen S, Behram M, Ugur M (Turkey): Entrapment of the small bowel due to improper closure of the parietal peritoneum

Erodriguez, Eromaguera, Jozamora, Irmonfort, Sifuster, Iaznar (Spain): Breast cancer during pregnancy

Ersoy AO, Deveer R, Celen S, Kirbas A, Ozler S, Uygur D, Danisman N (Turkey): Screening for adverse pregnancy outcome by biochemical and ultrasonographic markers

Ersoy AO, Kirbas A, Ozler S, Oztas E, Uygur D, Danisman N (Turkey): Primary pleural effusion treated by thoracoamniotic shunting

Ersoy AO, Oztas E, Kirbas A, Ozler S, Iskender C, Uygur D, Danisman N (Turkey): Bilateral fetal ovarian cysts

Etchegaray A, Moren J, Ciammella R, Esteban MG, Beruti E (Argentina): Small at 20-24 weeks: combining expected fetal weight and uterine artery Doppler to predict perinatal outcome

Fakhir B, Boukhani L, Aboufalah A, Asmouki H, Soummani A (Morocco): Obstetrical management of pregnancy associated with advanced stage nasopharyngeal carcinoma

Fakhir B, Jadid I, Aboufalah A, Asmouki H, Soummani A (Morocco): Difficulties in management of tragic post partum shock with subscapular liver hematoma

Fakhir B, Jadid I, Aboufalah A, Asmouki H, Soummani A (Morocco): Prenatal diagnosis of a particular limb body wall complex

Fernández-Alonso AM, Fischer-Suárez N, López-San Clemente MC, Herrera A, Moreno I, Fiol G (Spain): Maternal thyroid dysfunction and 1st trimester screening results

Fernández-Martínez FJ, Gómez I, Rodríguez Calvo J, Martínez-Moratalla JM, Moreno-García M, Pascual C, Moreno-Izquierdo A, Galindo A (Spain): RHD genotyping on cell-free fetal DNA in maternal plasma: a clinical algorithm

Ferreira C, Silva J, Sousa AO, Azevedo M, Godinho C, Brito C, Valente F (Portugal): Mild fetal ventriculomegaly: obstetric and neonatal outcome

Fischer-Suárez N, Herrera A, López-San Clemente MC, Moreno I, Fiol G, Fernández-Alonso AM (Spain): 1st trimester serum TSH levels: relation to maternal sociodemographic characteristics

Fisher J, Lohr PA, Lafarge C, Robson SC (United Kingdom): Termination for fetal anomaly - are we meeting women's needs?

Forster A, Schauf B (Germany): Spontaneous TAPS in MC twin pregnancy

Fragkiadaki P, Soultz N, Koutroulakis D, Vrachnis N, Gourvas V, Spandidos DA, Sifakis S (Greece): Downregulation of notch-2 and notch-3 in pregnancies with PE

Franca MS, Hatanaka AR, Kawanami TE, Rolo LC, Nardoza LMM, Mattar R, Moron AF (Brazil): Clinical significance of amniotic fluid 'sludge' in patients with cervical pessary

Freitas T, Barros C, Pinto P, Farinha L, Silva P, Bacelar F, Sousa G (Portugal): Prenatal diagnosis of complete isolated agenesis of the corpus callosum

Freitas T, Barros C, Pinto P, Silva P, Santos F, Sousa G (Portugal): 1st trimester megacystis and severe ascites

Friedman S, Meir K, Levi-Schaffer F, Mankuta D (Israel): Potential effects of intrauterine allergic inflammation on the development of autism

Frisova V, Kavalcova L, Hornofova L, Spalova I, Haakova L, Smetanova D (Czech Republic): Prenatal US and MRI for diagnosis of fetal GIT anomalies

Gache D, Pelinescu-Onciul D, Radoi V, Vasilescu M, Muntean A (Romania): Tetralogy of Fallot associated with Goldenhar syndrome

Gallardo Roman C, Navarro Carrillo MI, Del Prado Moreno A, Salas Robles MC, Lopez Lopez R, Ortiz Herrera C (Spain): MC twin pregnancies: complications, treatment and perinatal outcome

Gallo DM, Cardona A, Santacruz DA, Gutierrez JH, Shaffer BL, Valencia CM, Tolosa JE (Colombia): CMV: treatment with maternal hyperimmune globulin

Gandasegui A, Soler P, Rincón I, Montalvo J (Spain): Absence of cavum septum pellucidum associated with open-lipped form of schizencephaly

Geerts L, Adam A (South Africa): Prenatal diagnosis of fetal Marfan syndrome - two cases, with novel ultrasound findings

Georgiev MP (Slovenia): Emotional connection between mother and father with the unborn child

Ghafoor A, Nanda S, Sankaran S (United Kingdom): Pregnancy outcome in cases of mild idiopathic polyhydramnios

Gomes, Enes, Rocha, Graca, Carmo (Portugal): Prenatal diagnosis of arachnoid cysts

Gonzalez Jimenez JM, Moreno Munoz P, Torres Rodriguez MM, Marry Y (Spain): Vasa previa: a review of cases

Gourvas V, Soultz N, Konstantinidou A, Koukoura O, Dalpa E, Koutroulakis D, Spandidos DA, Sifakis S (Greece): Reduced Annexin-A5 mRNA and protein expression in PE

Goynumner G, Arisoy R, Yayla M, Mollaoglu S (Turkey): Cerebral lateral ventricular atrial diameter at 16-24 weeks

Gruson D, Demirdjian G, Lison P, Depoix C, Caruhel P, Debiève F (Belgium): Performances evaluation and reliability of the new Kryptor PLGF automated immunoassay

Guedes L, Guedes-Martins L, Vargas S (Portugal): Fetal surgery: anesthetic issues that matter to the obstetrician

Gungoren A, Ergin RN, Dolapcioglu K, Silfeler DB, Uyar O (Turkey): Maternal outcome in relation to type of induced 2nd trimester abortion

Gutarra L, Daniel P, Cuevas Mirtha Alegre De Miquel M, Montserrat, Borralleras FE, Centurió AV, Fulquet Munne J (Spain): Congenital arthrogyposis

Hadzi-Lega M, Daneva-Markova A, Strejovska A (FYR Macedonia): Cervical length and phosphorylated IGFBP-1 in prediction of preterm birth

Haeusler M, Haas J (Austria): 1st trimester risk calculation for trisomies by cut off or patient estimates

Hall MP, Hill M, Zimmermann B, Sigurjonsson S, Demko Z, Rabinowitz M (United States): NIPT: Initial commercial results from a test that employs massively multiplexed targeted PCR amplification and sequencing of 19,488 SNPs

Hamid R, Mahadevan N (United Kingdom): Developing integrated care pathways for high risk medical disorders in pregnancy

Hamid R, Mahadevan N, HZ Ling, O Mulki, M Abdel-Aal (United Kingdom): Developing clinical care pathways in response to the new maternity pathway payment system

Hancerliogullar N , Aktulay A, Engin-Ustun Y, Ozkan MS, Dizdar EA, Danisman N (Turkey): Single umbilical artery: maternal and neonatal outcomes

Hancerliogullari N, Aktulay A, Engin-Ustun Y, Ozkan MS, Danisman N (Turkey): Serum PAPP-A levels are decreased in obstetric cholestasis

Haslik, Krofta, Vojtech, Sirc, Tomek, Brestak, Herman, Haakova, Feyereisl (Czech Republic): Myocardial tissue Doppler techniques in detection of imminent fetal heart failure

Hatanaka AR, Franca MS, Kawanami TEN, Rolo LC, Nardoza LMM, Mattar R, Moron AF (Brazil): Is pulverized amniotic fluid 'sludge' a risk factor for preterm birth?

Hatanaka AR, Kawanami TEN, Franca MS, Rolo LC, Nardoza LMM, Mattar R, Moron AF (Brazil): Amniotic fluid 'sludge' in asymptomatic patients at low and high risk for spontaneous preterm birth

Hatanaka AR, Rolo LC, Kawanami TEN, Franca MS, Nardoza LMM, Mattar R, Moron AF (Brazil): Effect of fundal uterine pressure on cervical length

Hauer J, Selinsek L, Abele H, Kagan O, Deprest J, Hilcher U, Iglauer F, Haen S, Wallwiener D, Beck V (Germany): CDH: Maternal nifedipine does not impact fetal lung growth in the nitrofen rat model of congenital diaphragmatic hernia

Hayashi N, Ku K, Usui H, Shozu M (Japan): Vanishing partial hydatidiform mole coexistent with a live fetus

Hirsi-Farah S, Kumar S (United Kingdom): Neonatal outcomes following extreme PPROM in multiple pregnancy

Hussein M, Rahman A, Kader A (Egypt): 3D power doppler and conventional doppler in predicting fetal distress during induction of prolonged pregnancy

Hympanova L, Vojtech J, Haslik L, Haakova L, Krofta L, Deprest J, Feyereis J (Czech Republic): Twins: initial experience of a center of fetal medicine in Czech Republic

Igonina N, Sysoeva S, Kopaeva L, Zakcharova M, Pak I, Moiseeva I (Russian Federation): Comparison of 1st and 2nd trimester screening for Trisomy 21 according to maternal age

Illa M, Eixarch E, Batalle D, Muñoz-Moreno E, Arbat-Plana A, Figueras F, Gratacos E (Spain): Animal models of FGR: comparison of neurobehavioral consequences in neonatal and long-term period

Illescas T, Martinez-Ten P, Adiego B, Estevez M, Maresca MD, Rodriguez M (Spain): Prenatal diagnosis of left inferior vena cava

Illescas T, Martinez-Ten P, Adiego B, Soler P, Recio M, Huertas MA (Spain): Prenatal diagnosis of scalp haemangioma

Inocencio G, Coutinho L, Azevedo S, Maciel R, Rodrigues S, Carvalho C, Braga J, Rodrigues M (Portugal): Prenatal diagnosis of sirenomelia

Iryshkov DS (Russian Federation): 1st trimester ultrasound signs of noncarrying of pregnancy

Iskender CT, Kaymak O, Danisman N, Ersoy AO, Ozler S (Turkey): Comparison of two different pulmonary maturity tests

Iskender CT, Kaymak O, Seckin D, Yeral I, Biberoglu E, Aktulay A, Danisman N (Turkey): Consequences of amniocentesis procedures

Islam Z, Dileep D, Munim S (Pakistan): Prognostic value of umbilical artery Doppler in FGR

Jacuevas, Ssoldevilla, Aparazuelo, Matoucedo, Psanchez, Amartin (Spain): A case of fetal cervical teratoma

Jakobsen TR, Clausen FB, Tabor A, Dziegiel MH (Denmark): Does antenatal anti-D cause an increased incidence of FGR?

Jaleel S, Karri K, Vanes N, Engineer N (United Kingdom): Clinical outcome of isolated ventriculomegaly

Jensen T, Kim S, Zhu Z, Chin C, Lu T, Deciu C, van den Boom D, Ehrich M (United States): NIPT: Whole genome bisulfite sequencing links placenta hypomethylated domains to gene deserts

Jensen T, Zwiefelhofer T, Tim R, Dzakula Z, Kim S, Mazloom A, Deciu C, van den Boom D, Ehrich M (United States): High-throughput genome wide sequencing for NIPT

Jeong BD, Won HS, Lee MY, Shim JY, Lee PR, Kim A (Korea): Perinatal outcome of fetal pleural effusions following thoracoamniotic shunting

Joglekar-Pai P, Ling HZ, Mulki O, Mcmillan B, Tan TL (United Kingdom): Impact of consultant presence in caesareans in 2nd stage

Joglekar-Pai P, Ling HZ, Mulki O, Tan TL (United Kingdom): Impact of consultant presence on delivery suite

Johannova V, Stejskal D (Czech Republic): Prenatal screening for trisomy 21 in Gennet

Jyotsna, Bijoy Balakrishnan, Meenu Batra, Kkgopinathan (India): Fetal echocardiography at 11-13 wks: 4-chamber and 3-vessel view in 2d gray scale and color Doppler

Kabbur S, Bamfo J, Bullen P, Wynn R (United Kingdom): In utero presentation of familial haemophagocytosis lymphohistiocytosis

Kalashnikova EA, Kokarovtseva SN, Serkova NA, Andreeva EN, Voskoboeva EYu, Sudakova V, Davydova ON, Ivanjuk AS, Odegova NO, Tsvetkova TG, Lagkyeva FK, Stepnova SV, Zhuchenko LA (Russian Federation): Combined screening versus ultrasound screening at 11-13 wks

Kaler MK, Hollingworth A, Gupta M (United Kingdom): A case of "mirror syndrome"

Kamalidiniva S (Uzbekistan): Performance of 2nd trimester biochemistry screening for Trisomy 21 in Uzbekistan

Kanber D, Yildirim G, Atis Aydin A, Ekiz A, Aslan H, Gedikbasi A (Turkey): Prenatal diagnosis of fetal anomaly associated with mosaic trisomy 9

Kankanala J (India): Consanguinity: a true challenge in rural India

Kankanala J (India): Fetal medicine reaching rural India

Kankanala J (India): Novel role of amniocentesis for concealed abruption in threatened preterm labour

Kankanala J (India): Patient's perspective of fetal cardiac defect

Kankanala J (India): Successful pregnancy following chemotherapy and long term antifungal therapy in a women with acute myeloid leukaemia

Kankanala J, Gondi D (India): Recurrence of spinal muscular atrophy

Kappou D, Androutsopoulos V, Papantoniou N, Konstantinidou A, Koutroulakis D, Spandidos DA, Sifakis S (Greece): Placental expression of angiopoietins (ang-1 & ang-2) and their receptor tie-1 in pregnancies complicated with PE

Katorza E (Israel): Measurement of fetal lateral ventricles: comparison between ultrasonography and MRI

Katorza E (Israel): Prenatal diagnosis of microcephaly by ultrasound: is MRI necessary?

Katorza E (Israel): Virtual angiography of the fetal brain using post-mortem MRI

Kaul A, Gholkar N, Paliwal S, Lodha P, Singh C (India): The 12 week clinic: expanding the functionality of a routine clinic visit

Kaymak O, Aktulay A, Tandogan M, Kirbas A, Danisman N (Turkey): The use of cranial MRI in the diagnosis of fetal anomaly

Kaymak O, Iskender CT, Kirbas A, Ozler S, Ersoy AO (Turkey): Case of spontaneous ovarian hyperstimulation

Keskin U, Gungor S, Karasahin E, Ergun A (Turkey): Prenatal diagnosis of fetal akinesia deformation sequence

Kesrouani A, AbuRustum R (Lebanon): Outcome of prenatally-diagnosed single umbilical artery in an unselected population

Kesrouani A, Daher A, Attieh E (Lebanon): Prognostic effect of a prenatally diagnosed nuchal cord

Kesrouani A, Nasr B, Atallah H (Lebanon): Amniotic bands without associated malformations

Kimura Y, Ito T, Sugibayashi R, Velayo C, Dong Y, Funamoto K, Endo M, Yaegashi N (Japan): Detection of fetal brain hemorrhage by fetal electrocardiography

Kirbas A, Dede H, Uygur D, Ersoy AO, Ozler S, Oztas E, Danisman N (Turkey): Primary tuberculous mastitis in pregnancy

Kirbas A, Ersoy AO, Ozler S, Oztas E, Uygur D, Danisman N (Turkey): Primary pleural effusion treated by thoracoamniotic shunting

Kirbas A, Kaymak O, Ozler S, Ersoy AO, Uygur D, Gulerman C, Danisman N (Turkey): Perinatal outcomes of adolescent pregnancies

Kirbas A, Ozler S, Ersoy AO, Uygur D, Danisman N (Turkey): 1st trimester neutrophil to lymphocyte ratio and platelet to lymphocyte ratio in predicting adverse outcome

Kirbas A, Uygur D, Ensari T, Ersoy AO, Ozler S, Danisman N (Turkey): Antenatal syphilis screening in 34391 pregnant women in Turkey

Kirbas A, Uygur D, Kaymak O, Danisman N (Turkey): Prenatal diagnosis of Klippel-Trenaunay-Weber syndrome with umbilical cord varicosities

Kirkegaard I, Tabor A, Ulbjerg N, Henriksen TB (Denmark): Increased interpregnancy interval in spontaneous conceptions is associated with decreased levels of PAPP-A and free β hCG

Kisa-Karakaya B, Esercan A, Aktulay A, Celik EY, Engin-Ustun Y, EEyi, Erkaya S (Turkey): Perinatal outcomes and advanced maternal age

Klaskova, Tudos, Prochazka, Pilka, Dostal, Sobek, Zapletalova (Czech Republic): Low-level 45,X/46,XX mosaicism is not associated with higher prevalence of congenital cardiovascular disease and thoracic aorta dilatation

Komar M, Halaska MJ, Vlk R, Tomek V, Skultety J, Robova H, Rob L (Czech Republic): Fetal middle cerebral PSV after administration of chemotherapy during pregnancy

Kopuz A, Kurt S, Toz E, Demirtas O, Tasyurt A (Turkey): Correlation between peritoneal fluid AND peripheral blood VEGF levels and endometriosis stage

Krishna K, Krishna L, Bhat S, Nageshu S, Pradeep S (India): Herlyn Werner Wundelich syndrome

Krishnamurthy K, Kandamaram L, Greaves C, Mohammed L, Singh K, Kumar A (Barbados): Prevalence and pattern of CNS defects detected at birth in the Afro-Caribbean population of Barbados

Krpina D (Croatia): Attitude of pregnant women to early diagnostic amniocentesis

Krzeszowski W, Szaflik K (Poland): Thoracoamniotic shunting for bronchopulmonary sequestration with hydrops

Kumar-Singh P, Lay R, Lam S, Llave L, Sinosich MJ (Australia): 1st trimester serum biochemistry and placental wellbeing

Lacey L, Birchenall K, Mukherjee S (United Kingdom): Isolated fetal echogenic bowel identified on routine 2nd trimester scan

Lachmann R, Hable PL, Kamin G, Nitzsche K, Wimberger P (Germany): 1st trimester screening for hypertensive disorders in pregnancy: preliminary uptake data

Lachmann R, Patrikova IV, Schilling U, Kamin G, Mogel M, Bergert R, M Rudiger, P Wimberger (Germany): TAPS after laser for TTTS: embolism in the neonate

Lakhno IV, Barannik EA, Tkachov AE (Ukraine): Umbilical vein hemodynamic in PE

Lal S, Bhandari H, Engineer N (United Kingdom): Elective and emergency cervical cerclage: experience at a tertiary maternity unit

Lambo D, Bolten M, Yeung F, Couderg D, Kametas N (UK). Validation of automated blood pressure devices: impact on the diagnosis of hypertensive diseases in pregnancy.

Leal R, Luz R, Mendonca R, Raimundo J, Almeida P, Matos I (Portugal): Invasive hydatidiform mole

Lee SL, Tan LK, Devendra K, Tan HK (Singapore): Caesarean scar pregnancy with ultrasound features of adherent placentae

Leung TY (Hong Kong): NIPT: Twin zygoty assessment and aneuploidy detection

Lillo, Fernandez S, del Rio M, Arigita M, Cayuela E (Spain): Aortic arch anomaly

Limay O, Valladares A, Camarena H, Sanchez A, Ingar J, Zarate M, Castillo W, Huertas E, Gil Guevara E (Peru): Uterine artery pulsatility index as a predictor of fetal macrosomia

Lin SY, Lee CN (Taiwan): Taiwanese Down syndrome births in 2001-2010: impact of prenatal screening

Ling HZ, Khoo C, Hamid R (United Kingdom): Trial of instrumental delivery

Ling HZ, Mulki O, Abdel-Aal M (United Kingdom): Uterine didelphys, obstructed hemivagina and ipsilateral renal agenesis presenting as pelvic abscess in a 13 year old girl

Ling HZ, Mulki O, Hamid R (United Kingdom): Risk factors associated with intrauterine deaths

Ling HZ, Mulki O, Stankeviciene I, Hamid R, Abdel-Aal M (United Kingdom): Are we over reassuring parents with raised fetal NT?

Ling HZ, Mulki O, Stankeviciene I, Hamid R, Abdel-Aal M (United Kingdom): Down's screening and

diagnostic tests

Ling HZ, Mulki O, Tailorkumar H, Alzouebi A, Hamid R, Abdel-Aal M (United Kingdom): The big question is to induce or not to induce

Liu JY, Lim ZYV, Tan WC (Singapore): Low maternal serum PAPP-A and free β -hCG and adverse neonatal outcome

Lobmaier SM, Figueras F, Mercade I, Crovetto F, Peguero A, Ortiz JU, Crispi F, Gratacos E (Spain): Maternal serum (anti-) angiogenic factors in the 3rd trimester: reference ranges and influence of baseline and doppler characteristics

Lodha P, Sharma A, Tayal T, Singh C, Kaul A (India): 1st trimester combined test for trisomy 21: effect of conception by ART

Lodha P, Sharma A, Tayal T, Singh C, Kaul A (India): Intracranial translucency at 11-13 wks in an Indian population

Lubusky M, Holuskova I, Prochazka M, Studnickova M, Vomackova K, Markova I (Czech Republic): Incidence of erythrocyte alloimmunization in pregnant women

Lubusky M, Prochazka M, Simetka O, Holuskova I, Studnickova M, Markova I (Czech Republic): Guidelines for prevention of RhD alloimmunization in RhD negative women

Lubusky M, Simetka O, Studnickova M, Dhaifalah I, Ordeltova M, Vomackova K, Markova I (Czech Republic): Fetomaternal hemorrhage in chorionic villus sampling and amniocentesis

Lubusky M, Simetka O, Studnickova M, Dhaifalah I, Ordeltova M, Vomackova K, Prochazkova M (Czech Republic): Fetomaternal hemorrhage in invasive prenatal diagnostic procedures

Lubusky M, Simetka O, Studnickova M, Prochazka M, Ordeltova M, Vomackova K, Markova I (Czech Republic): Fetomaternal hemorrhage during delivery

Luminoso D, Figueira CO, Marins M, Peralta CFA (Brazil): Fetal brain lesion in spontaneous TAPS

Luz R, Leal R, Mendonca R, Machado H, Raimundo JM, Simoes J, Matos I (Portugal): Late prematurity – comparison of obstetric outcomes with births at term

Macek M, Peskova M, Turnovec M, Kestlerova A, Vlk R, Stranska G, Spalova I, Krejci R, Novotna V, Feyereisl J, Rob L, Macek M (Czech Republic): Maternal serum PLGF in screening for PE and aneuploidies

Maciel N, Raposo L, Cruz R, Carneiro V, Lima AF, Ponte C (Portugal): Spontaneous heterotopic pregnancy

Maldonado MD, Pinas A, Palacios A, Moreno JC, Alonso R, Canete ML (Spain): Prenatal diagnosis of cervical teratoma

Malliou MN, Von Kaisenberg CS, Schippert C, Stahl K, Tsiavaliaris G (Germany): Molecular abnormalities in ultrastructural spindle organization and maternal-age associated aneuploidy

Manegold-Brauer G, Lapaire O, De Geyter C, Buechel J, Hoesli I, Kang Bellin A (Switzerland): Which are the women who opt for NIPT - lifestyle product or real diagnostic tool?

Manikandan K, Veena P, Elamurugan S, Soundararaghavan S (India): Presentation, evolution and outcome of fetal sub-dural hemorrhage

Marchueta J, Andion F, Ochoa JH (Argentina): Prenatal diagnosis of portal vein varix

Margioulas-Siarkou C, Petousis S, Kalogiannidis I, Dagklis T, Karkanaki A, Mamopoulos A, Prapas N, Rousso D (Greece): Epidemiological and pregnancy-related characteristics do not affect amniocentesis-related short-term outcome

Marjanovic Cvjeticanin M, Radunovic N (Serbia): Yolk sac diameter in the prediction of development of GDM

Marquez R, Moreno A, Quijada P, Bachman M, Soto A, Rodriguez M, Gonzalez P, Egana-Ugrinovic G (Chile): Perinatal management of gastroschisis with simil-exit repair

Martin Martinez SR, Casado Romero M, Garrido Luque B (Spain): Ectopia cordis

Martin Martinez SR, Del Prado Moreno A, Serrano Oliva MA, Lopez Lopez R, Garrido Luque B (Spain): Prenatal diagnosis of ambiguous genitalia in congenital adrenal hyperplasia

Martin Martinez SR, Ortiz Herrera O, Moreno Munoz P, Garrido Luque B (Spain): Short femur: Diagnosis and outcome

Martinez-Payo C, Franco C, Calles L, Nieto Y, Ruiz de Azua M, Garcia Benasach F (Spain): Cost-effectiveness of combined test and contingent screening for Down syndrome

Martinez-Payo C, Ruiz de Azua M, Nieto Y, Garcia Benasach F (Spain): Aberrant right subclavian artery in the general population

Martinez-Payo C, Villalobos C, Tunon M, Inglesias E (Spain): Prenatal diagnosis of isolated agenesis of the cavum septum pellucidum: is isolated sure?

Martins A, Sousa AM, Djokovic D, Alves P, Veca P (Portugal): Fetal pleural effusion

Martins A, Sousa AM, Djokovic D, Toller A, Veca P (Portugal): Chorionic villus sampling: our experience

Masheer S, Maheen H, Munim S (Pakistan): Perinatal outcome and mortality rate of mono-chorionic and di-chorionic twins

Masmoudi A, Ben Jamaa N, Kacem S, Ben Amara M, Zghal D, Jabnoun S, Zouari F, Chelli D, Siala-Gaigi S (Tunisia): Recurrent SLY disease in a Tunisian family

Massalska D, Bijok J, Jamsheer A, Kucinska-Chahwan A, Bogdanowicz J, Jakiel G, Roszkowski T (Poland): Prenatal diagnosis of craniosynostosis caused by microdeletion

Matura D, Pannova J, Dolezalkova E, Simetka O, Tomanova R, Dvorackova J (Czech Republic): Prenatal diagnosis of tracheal atresia in twin pregnancy

Mayes R (United Kingdom): The principle of NIPT in screening

Maza Jimenez A, Bedoya Bergua JM, Jimenez Espana E, Martinez Ferrer F, Ulibarrena Estevez J, Torrecilla Galvez JA (Spain): Urinary tract infection in pregnancy: monitoring 4 year-old children

Maza Jimenez A, Bedoya Bergua JM, Lopez Rodriguez F, Sanchez Rabanal A, Fernandez Ortiz JM, Romero Varo C, Garrucho Moreno J (Spain): Management of pregnancies with >2 previous abortions: monitoring 4 year-old children

Maza Jimenez A, Bedoya Bergua JM, Martin Sanjuan A, Gil Cartes JA, Aguilar Hidalgo B, Jimenez Ramos MI, Moral Perez A (Spain): Screening for thyroid pathology in pregnancy: monitoring 4 year-old children

Maza Jimenez A, Bedoya Bergua JM, Rodriguez Lozano J, Navajas Llamas JM, Linares Moreno F, Perez Sanchez-Jurado JL, Perez Lozano C (Spain): Screening for toxoplasmosis: improvement of perinatal results

Maza Jimenez A, Bedoya Bergua JM, Sanchez Ramos J, Jimenez Espana E, Martinez Ferrer F, Perez Martinez MA, Martinez Ortega MV (Spain): Diagnosis and treatment of GBS-agalactiae in pregnancy: monitoring 4 year old children

Maza Jimenez A, Bedoya Bergua JM, Sanchez Ramos J, Soto Caparros C, Montero Ponferrada JA, Gomez Priego MJ, Zamora Torres E (Spain): Is it better to make to screen for GDM in the first trimester?

Maza Jimenez A, Bedoya Bergua JM, Sanchez Ramos J, Soto Caparros C, Perez Cano AL, Rueda Villar T, Garcia-Govantes A (Spain): Effects of improved prenatal care on rates of premature birth, mortality and neurological damage

Maza Jimenez A, Bedoya Bergua JM, Soto Caparros C (Spain): FGR in pregnancy: monitoring 4 year-old children

Mazarico E, Caner N, Jalencas G, Parra J, Miró E, Gómez Roig MD (Spain): Isolated fetal ascites

McCormack CD, Furness DL, Dekker GA, Roberts CT (Australia): AMH levels in recurrent miscarriage patients are frequently abnormal, they predict pregnancy outcomes, and the need for ART

McKie L, Sinha P, Homfray T, Roberts N (United Kingdom): Prenatal diagnosis of chromosome 15q deletion in a fetus with congenital heart disease

McPherson K, Ledingham M, Brogan K (United Kingdom): Parvovirus-mediated mirror syndrome resolution following in-utero transfusion

McPherson K, McPherson R, Ledingham M (United Kingdom): Does image quality matter in third trimester scanning?

Megahed MA, Dawoud SM, El-Sarha AI, Mohamed MI, Rizk MAA (Egypt): Maternal serum adiponectin and visfatin and pathological changes of placentae in PE

Mendonca R, Leal R, Luz R, Machado H, Raimundo J, Martins C, Gabriel V, Matos I (Portugal): Heterotopic pregnancy- a rare diagnosis

Michalec I, Vasek P, Dolezalkova E, Matura D, Simetka O (Czech Republic): Pre-induction of delivery: dilapane s® versus prostin E2

Migda M, Migda M, Malenczyk M (Poland): Cat-eye syndrom / CES /, Schmid-Fraccaro syndrome

Miguelez J, Carvalho MHB (Brazil): Diagnosis of anencephaly/exencephaly at 9-10 weeks

Miguelez J, Cuckle H, Brizot M, Francisco RPV, Zugaib M (Brazil): Interrelationship between 2nd trimester soft markers

Millan S, De Mingo Romanillos V, Redondo L, Escudero S (Spain): Results of 1st trimester and integrated screening tests for Trisomies 21 and 18

Mineiro S, Codorniz A, Pereira E, Caseiro L, Matias I, Raimundo JM, Carvalho J, Carpinteiro Z, Carvalho L, Caeiro V (Portugal): Myelomeningocele with Arnold Chiari type II malformation

Minekawa-Mehandjiev R, Yokote M, Minami R, Wakimoto G, Miyake A, Tsuchida M, Hamada S, Yamasaki M, Murata Y (Japan): 3D ultrasound measurements of fetal prenatal thickness and prefrontal space ratio in Japanese population

MJ Rodriguez, F Gamez, L Ortiz, R Perez, J de Leon, JM Tenias, J Garcia (Spain): Aortic isthmus blood flow in SGA and FGR in singletons and twins

Modarresnejad V (Iran): Effect of oronasopharyngeal suction on arterial oxygen saturation in normal, term infants delivered vaginally

Modzelewski J, Baran A (Poland): Severe idiopathic thrombocytopenia in twin pregnancy

Monfort Ortiz IR, Rodriguez Tárrega E, Zamora Prado JO, Lozoya Araque T, Diago Almela V, Perales Marín A (Spain): Comparative analysis of chorionicity in triple gestations

Monfort Ortiz IR, Rodriguez Tárrega E, Zamora Prado JO, Lozoya Araque T, Fuster Rojas SI, Diago Almela V, Perales Marín A (Spain): Behcet disease and pregnancy

Monzó Fabuel S, Romaguera Salort E, Higuera García G, Diago Almela VJ, Perales Marín A La Fe Hospital (Spain): Monitoring in pregnancies with FGR

Moraes F, Queiroz A, Nascimento M, Moraes E (Brazil): Prenatal diagnosis of thanatophoric dysplasia

Moreno-Cid M, Rodriguez MJ, Rubio AM, Bueno G, Tenias JM, Arias A, Roman C (Spain): Systematic review and meta-analysis of 2nd trimester nasal bone measurement in the detection of Down syndrome

Moreno-Cid M, Rodriguez MJ, Tenias JM, Rubio AM, Bueno G (Spain): 2nd trimester genetic sonogram screening in general population: how useful is it?

Moreno-Cid M, Rodriguez MJ, Tenias JM, Rubio AM, Bueno G, Román C, Arias A (Spain): Clinical prediction rules for the calculation of risk of Down syndrome from 2nd trimester ultrasound findings

Moreno-Munoz P, Ortega-Dolz V, Del Prado-Moreno AA (Spain): Perinatal results in pregnancies conceived by ART

Mosconi AP, Drummond CL, Nicastro LMZ, Simioni C, Oliveira RCS, Cordioli E (Brazil): Risk of preterm in women with short cervix

Mousavi SM (United States): Etiology and pathophysiology of preeclampsia

Mousavi SM (United States): The origin of maternal hypervolemia

Mozo De Rosales, Gorostiaga, Legorburu, Garcia De La Maza, Villasante, Bastardo (Spain): Number of yolk sacs does not predict amnionicity in monochorionic multiple pregnancies

Mulki O, Ling HZ, Khalid L, Abdel-Aal M (United Kingdom): Heterotopic pregnancy with ruptured ovarian ectopic

Munim S, Maheen H, Zainab G, Fatima S (Pakistan): Outcome of congenital diaphragmatic hernia

Munim S, Zaheena, Maheen H, Masheer S (Pakistan): MC and DC twins: Perinatal mortality and mode of delivery

Nasr B, Elia D (Lebanon): Fetal ribs: spectrum of abnormalities

Nastasia S, Russu M (Romania): Inadequate prenatal care as a risk factor for neonatal mechanical ventilation and adverse outcome

Nawathe A, Savvidou M (United Kingdom): GDM: Racial disparity in glycosylated haemoglobin levels

Nguyen TV, Le KVN, Pham VH, Nguyen TTT, Le LKT, Nguyen TP, Le KK, Nguyen TV (Viet Nam): Thalassaemia screening program in Vietnam

Nieto Y, Arranz S, Garciabenasach F, Martinez C, Ruiz De Azua M (Spain): Early 2nd trimester US assessment of markers for aneuploidies

Nieto Y, Martinez C, Garciabenasach F, Ruiz De Azua M (Spain): Detection of aneuploidies at early 2nd trimester using 1st trimester US markers

Noguchi R (Japan): Outcome of agenesis of corpus callosum with ventriculomegaly

Nomura RMY, Costa VN, Maeda MFY, Francisco RPV, Zugaib M (Brazil): Left modified myocardial performance index and fetal Doppler parameters in pregnancies with placental insufficiency

Novotna M, Brestak M, Zizka Z, Cihar M, Konasova V, Calda P (Czech Republic): Sonographic findings leading to antenatal diagnosis of fetal congenital rubella syndrome

O'Kane M, Elhalwagy H, Sinha P, Kumar S, Pascall D (United Kingdom): Unusual presentation of PRES syndrome in postnatal period

Obeidat N, Ruba J, Brieger D, Challis D (Jordan): Fetal urethral dilatation using coronary artery balloon catheters an ovine model for the treatment of LUTO

Oliveira P, Caldas R, Rodrigues C, Rocha I, Silva J, Ferreira C, Foo M, Ferreira S, Lanhoso A, Teles T (Portugal): Assessment of gestational age by ultrasound

Orosz L, Orosz G, Lorosz, Afabian, Iarany, Ztoth, Otorok (Hungary): Performance of 1st trimester screening for PE in routine clinical practice

Oruc AS, Seckin B, Ozcan N, Ozyer SS, Uzunlar O, Danisman N (Turkey): Postprandial bile acids for prediction of perinatal outcome in intrahepatic cholestasis of pregnancy

Ozawa K, Miyashita S, Muromoto J, Murotsuki J, Hasegawa H, Kanai H, Yaegashi N (Japan): Laser for TTTS: fetal cardiac function using phased-tracking method before and after surgery

Ozcan Temizkan R, Yapar Eyi EG (Turkey): High sensitive CRP, IL 6, homocystein, homeostatic model assesment of insulin resistance according to severity of PE

Ozgu Erdinc As, Cakar Es, Candemir Z, Yesilyurt A, Uygur D, Danisman N (Turkey): Combined thrombophilia: the more we look, the more we find

Ozgu Erdinc AS, Candemir Z, Cakar ES, Yesilyurt A, Topcu V, Savascioglu Keskin E, Uygur D, Danisman N, Erkaya S (Turkey): Prevalence of genetic mutations associated with thrombophilia

Ozgu Erdinc As, Cavkaytar S, Aktulay A, Buyukkagnici U, Erkaya S, Danisman N (Turkey): Mid-trimester maternal serum and amniotic fluid biomarkers for the prediction of FGR

Ozler S, Dogan A, Kirbas A, Gulerman C, Danisman N (Turkey): Serum pro-inflammatory cytokine IL-8 in the prediction of preterm labor

Ozler S, Ersoy AO, Kirbas A, Uygur D, Caglar T, Danisman N (Turkey): Rare form of ectopic pregnancy

Ozler S, Kirbas A, Eroy AO, Danisman N (Turkey): Pregnancy complicated by giant abdominal hydatid cyst

Ozlerc S, Kirbas A, Oztas E, Uygur D, Danisman N (Turkey): Monoamniotic monochronic twins disordant for fetal anomaly

Oztas E, Kirbas A, Uygur D, Danisman N (Turkey): A case of familial hemophagocytic lymphohistiocytosis

Padilla P, Ferri B, Juarez I, Gomez R, Perez G, Perales A (Spain): Prenatal diagnosis of fetal lissencephaly

Padilla P, Ferri B, Juarez I, Rodríguez E, Rubio J, Perales A (Spain): Diagnosis and management of congenital cervical teratoma

Padmanabhan LD, Hamza Z, Thampi MV, Yesodharan D, Gazel S, Nampoothiri S (India): Prenatal diagnosis of fetal limb anomalies

Padmanabhan LD, Hamza Z, Thampi MV, Yesodharan D, Gazel S, Nampoothiri S (India): Prenatal diagnosis of omphalocele

Padmanabhan LD, Vaidyanathan B, Nayar J, Hamza Z, Thampi MV, Sreehari S, Nampoothiri S (India): Megalourethera, congenital heart disease, imperforate anus in a female fetus

Page AS, Page GH (Belgium): Complete hydatiform mole in a dizygotic twin pregnancy

Papitashvili A (Georgia): 2nd trimester fetal occipital bone thickness

Parra-Cordero M, Ribeiro-Dias AA, López M, Sepúlveda-Martínez A (Chile): Plasma cytokine profile throughout pregnancy and delivery in in PE

Parra-Cordero M, Sepulveda-Martinez A, Rencoret G, Díaz F (Chile): 1st trimester biochemical markers of spontaneous early preterm birth

Parra-Saavedra M, Crovetto F, Triunfo S, Savchev S, Cruz-Lemini M, Nadal A, Gratacos E, Figueras F (Spain): Placental histological findings in late-onset FGR

Parra-Saavedra M, Parra-Saavedra M, Crovetto F, Triunfo S, Savchev S, Nadal A, Gratacos E, Figueras F (Spain): Late-onset SGA: Neurodevelopmental outcome according to histological signs of placental underperfusion

Parra-Saavedra M, Crovetto F, Triunfo S, Savchev S, Gratacos E, Figueras F (Spain): Late-onset SGA: correlation between Doppler parameters and placental histological criteria of maternal underperfusion

Pashaj S, Merz E (Germany): Fetal corpus callosum: normal and pathological findings by 3D ultrasound

Peguero A, Illa M, Eixarch E, Sanz M, Angles S, Fervienza A, Puerto B, Gratacos E (Spain): Associated findings in moderate ventricular abnormalities with frontal horn dilation

Pekic I (Serbia): Anomalies of female sexual organs and pregnancy

Pekin A, Bakbak GBB, Y?lmaz SA, Kerimoglu SO, Celik C (Turkey): Fetal anemia due to plasental hemorrhage

Perales M, Luaces M, Barakat R (Spain): Maternal and fetal cardiac adaptations to physical exercise during pregnancy

Pereda J (Chile): Has the human embryonic liver the potential to produce non-nucleated erythrocytes as the yolk sac endodermal cells do?

Perez Parra C, Sanchez Munoz A, Alumbremos Andujar MT, Cespedes Casas MT, Ramirez Gomez M, Fernandez Fernandez ME (Spain): Severe Turner syndrome: diagnosis in 1st trimester scan

Petousis S, Dagklis T, Margioula-Siarkou C, Mavromatidis G, Kalogiannidis I, Prapas N, Mamopoulos A, Rouso D (Greece): PPRM: parameters affecting latency period

Picquet AL, Chalouhi GE, Stagnati V, Stirnemann JJ, Beauquier B Salomon LJ, Missonnier S, Ville Y (France): Twins: influence of chorionicity on maternal attachment and perinatal depression

Pilar L, Gandasegui A, Albarracín A, Soler, P, Asenjo JA, Montalvo J (Spain): A case of multiple fetal defects

Plevakova Z, Krofta L, Vojtech J, Vlcek L, Feyereisl J (Czech Republic): 2D and 3D ultrasound imaging of vasa praevia

Podobnik M, Gebauer B, Podobnik P, Stipoljev F (Croatia): Early and late chorionic villus sampling

Podobnik M, Gebauer B, Podobnik P, Stipoljev F, Brlecic I (Croatia): 1st trimester diagnosis of cystic hygroma by transvaginal ultrasound and cytogenetic evaluation

Podobnik M, Podobnik P, Gebauer B, Brlecic I (Croatia): 1st trimester determination of fetal gender by ultrasound

Popi Kostic S, Novakov Mikic A (Serbia): 1st trimester diagnosis of pentalogy of Cantrell

Proença S, Pedroso S, Martins L, Rodrigues R, Nunes F (Portugal): Prenatal diagnosis of ambiguous genitalia

Qi HT, Zhang XD, Teng JB, Wang XM (China): Prenatal diagnosis of fetal absent pulmonary valve

Raimundo JM, Camarinha A, Cohen A, Correia J, Batista M, Correia H, Gaspar I, Monteiro L, Luz R, Mendonca R, Leal R, Machado H, Mineiros S, Maria B, Matos I (Portugal): Sexual ambiguity - Smith-Lemli-Opitz syndrome?

Raji HO, Okesina BS, Rejuaro FM, Raji MO, Ijaiya MA, Aboyeji AP (Nigeria): Preconception care; knowledge and perception among nurses in ilorin, north central nigeria

Raksha M, Dhananjaya KVN (India): Caesarean scar pregnancy: not so rare?

Rasekh Jahromi A, Kargarfard F, Nasser Jahromi M, Poorshojai S, Kasraian M, Akhavatabib F, Pad N (Iran): Maternal weight gain during pregnancy and infant birth weight

Rasekh Jahromi A, Kargarfard F, Nasser Jahromi M, Poorshojai S, Pad N, Kasraian M (Iran): Urinary tract infections in pregnant women with different blood groups

Ratha C, Jaiman S, Sistla LK, Vemavarapu G (India): Fetal autopsy in prenatally diagnosed congenital anomalies or unexplained fetal death

Ratha C, Vemavarapu G, Sistla LK, Saireddy D (India): Prevalence of 2nd trimester minor markers for aneuploidy

Rego JL, Ramos F, Branco M, Mesquita J, Galhano E (Portugal): Congenital cystic adenomatoid malformation of the lung

Rehman R, Jarvis H, Rajimwale M, Satodia P, Desai T, Miller P, Engineer N (United Kingdom): Prenatal detection rates of congenital heart defects

Rezende KBC, Braga JRS, Bornia RG, Amim J, Rezende LC (Brazil): Unusual presentation of placenta abruption

Rezende KBC, Mendes DS, Biscaro A, Bornia RG, Amim J, Basilio I, Massa AMT (Brazil): Prediction of macrosomia by fetal weight estimation

Robo S, Kapaj E (Albania): 1st trimester CRL and pregnancy outcome

Robo S, Kapaj E (Albania): 1st trimester CRL in twins and correlation with birth weight

Rocha J, Gomes A, Rodrigues G, Nogueira R (Portugal): Prenatal diagnosis of cerebro-costomandibular syndrome with increased fetal NT

Rode L, Pedersen NG, Worda K, Krampfl-Bettelheim E, Skibsted L, Odum L, Hinterberger S, Strobl I, Bowman M, Smith R, Tabor A (Denmark): Maternal CRH levels in twins: relation to preterm delivery and FGR

Rodo C, Arevalo S, Del Campo M, Valenzuela I, Maroto A, Ruiz A, Carreras E (Spain): An economic model for use of array CGH

Rodriguez E, Zamora JO, Monfort IR, Fuster SI, Tormos E, Perales A (Spain): Intrauterine fetal blood transfusion

Rodriguez MJ, Gamez F, Ortiz L, Perez R, de Leon J, Tenias JM, Garcia J (Spain): Changes in aortic isthmus and ductus venosus blood flow in singletons and twins with FGR

Rodriguez MJ, Marti N, Fernandez MS, Garcia J, Coll E, Martin C, Tenias JM (Spain): Organ donation in fetal medicine

Romaguera E, Monfort I R, Rodríguez E, Zamora J O, Diago V J, Perales A (Spain): Malaria and pregnancy

Romaguera E, Monfort I R, Zamora J O, Monzó S, Quiroga R, Tormos E (Spain): Increased fetal NT (>99th percentile): perinatal and pediatric outcomes

Rubio AM, Rodriguez MJ, Moreno-Cid M, Bueno G, Tenias JM, Arias A, Roman C (Spain): Validity of 2nd trimester nuchal fold measurement in screening for Down's syndrome

Ruiz P, del Prado A, Moreno P, Garrido B, Bravo MJ, Gallardo C (Spain): Prenatal detection of congenital heart disease in a low risk population

Ruiz P, Navarro ML, Salas MC, Garrido B, Moreno P, del Prado A (Spain): Prenatal diagnosis and outcome of hyperechogenic bowel

Rymashevsky AN, Oprujenkov AV, Volkov AE (Russian Federation): Clinical and morphological features of HIV infected pregnancy

Rymashevsky AN, Volkov AE, Terechina LA, Oprujenkov AV (Russian Federation): Pregnancy, labor and perinatal outcomes in women with HIV infection

Sabharwal G (India): Prenatal diagnosis of congenital anomalies: how good are we?

Sabharwal G, Bajaj V, Sabharwal M (India): Unusual ectopic - cesarean scar pregnancy

Sabharwal G, Mitra K, Dhok A (India): Transverse testicular ectopia: a radio-surgical diagnosis

Sabharwal G, Mitra K, Kadam K (India): Prenatal diagnosis of neural anomalies and correlation with folic acid supplementation

Saeed F, Kalla S, Blair E (United Kingdom): Prenatal paternal UPD arising from maternal balanced Robertsonian's balanced translocation

Sahota DS, Law LW, Ting YH, Law KM, Leung TY (China): Assessment of gestation dependent effect of maternal pregnancy characteristics on serum PAPP-A and free β -hCG in Chinese

Salas Robles MC, Ruiz Martinez P, Del Prado Moreno A, Garrido Luque B, Diaz Martin M, Navarro Carrillo ML (Spain): a case of massive fetomaternal hemorrhage

Samarage H, Paramasivam G, Rutherford M, Nicholl R (United Kingdom): Primary CMV infection with minimal ultrasound findings and abnormal MRI findings antenatally and postnatally

Samsonov AE, Rymashevsky AN, Volkov AE (Russian Federation): Features influencing outcome in pregnancies with uterine fibroids

Santos Neto OG, Marins M, Nivoloni RC, Saura GE, Peralta CFA (Brazil): Reproducibility of diffusion-weighted MRI in evaluation of fetal brain in TTTS

Sanz-Cortes M, Egana-Ugrinovic G, Crispi F, Carbajo R, Figueras F, Pineda A, Gratacos E (Spain): Metabolomic profile umbilical cord blood in early and late FGR

Saynur Y?Lmaz,Ayla Aktulay, Canan Demirta?, Hakan Timur, Yaprak Engin-Üstün, Elif Gül Yapar Eyi (Turkey): Cord blood 25-hydroxy vitamin D3 and fetal macrosomia

Selvaraj LR (India): First trimester evaluation of palate

Selvaraj LR (India): Intracranial translucency

Sepulveda Gonzalez G, Iglesias Benavides JL, Guzman Lopez A, Villagomez Martinez GE, Soria Lopez JA (Mexico): First trimester diagnosis of tetralogy of Fallot

Sepúlveda-Martínez A, Rodríguez M, Moreno JA, Márquez R, Parra-Cordero M (Chile): Increased mechanical PR interval in fetuses from pregnancies with intrahepatic cholestasis of pregnancy

Sepulveda-Martínez A, Zúñiga L, Díaz F, Soto L, Parra-Cordero M (Chile): Are 1st and 2nd trimester uterine artery doppler assessment predictors of adverse outcome in pregnancies with SLE?

Sieroszewski P, Janowicz A (Poland): Prognostic significance of 1st trimester subchorionic hematoma

Silva JR, Ferreira C, Castro J, Carrilho M, Valente F (Portugal): CMV: treatment with maternal hyperimmune globulin

Silva P, Freitas T, Pinto P, Barros C, Sousa M (Portugal): Collaboration between prenatal diagnostic centers – determinant for successful fetal outcome

Simioni C, Mosconi AP, Nicastro LMZ, Oliveira RCS, Menezes MMO, Cordioli E (Brazil): Foramen ovale and AV valves assessed by 4D US using STIC and HD-live software

Singh K, Kandamaran L, Krishnamurthy K, Greaves C, Mohammed L, Nielsen AL, Kumar A (Barbados): Major congenital GIT defects in newborns in Barbados

Singh Y (India): Screening for PE and FGR by uterine artery Doppler and PAPP-A at 11-13 wks

Sinha P, O'Kane M (United Kingdom): Spontaneous decapitation in the 1st trimester-amniotic band syndrome?

Sinosich MJ (Australia): NIPT: Isolation of syncytiotrophoblast cells for prenatal molecular analysis

Sobaih B, Alshehly M (Saudi Arabia): Perinatal mortality over 15 years in the central region of Saudi Arabia

Sobczuk K, Szaflik K, Wojtera J (Poland): Intrauterine therapy for non-immune hydrops, isolated hydrothorax and isolated ascites

Sochacki N, Chiriac R, Wojcicki J, Wielgos M, Nicolaidis KH (Poland): 1st and 2nd trimester

cervical angle as predictor of preterm birth

Soldevilla S, Alvarez C, Lopez C, Sanchez P, Toucedo A, Martin A (Spain): Merosin-negative congenital muscular dystrophy

Soldevilla S, Pinto A, Sánchez A, Timermans E, Sánchez P, Martín A (Spain): Prenatal diagnosis of congenital harlequin ichthyosis

Soler I, Diago V, Domingo S, Palomares L, Perales PA, Perales MA (Spain): Management of ovarian cancer during pregnancy

Solernou R, Crispi F, Valenzuela-Alcaraz B, Lopez M, Cruz-Lemini M, Gonce A, Migliorelli F, Martinez JM, Gomez O, Gratacos E (Spain): Fetal cardiac function in maternal HIV infection and antiretroviral medication

Solis M, Fruet R, Gianguzzo MP, Gigon R, Villavicencio RJ, Sanchez N, Oxilia R, Beron C, Rodolfo R (Argentina): Prenatal diagnosis of intrathoracic abnormalities

Soto E, Quezada S, Sepúlveda-Martínez A, Vega M, Parra-Cordero M (Chile): Role of L-arginine in modifying placental dysfunction, oxidative stress and antiangiogenic state

Sousa MJ, Ribeiro R, Cruz G, Albuquerque M, Sousa JG, Sousa G (Portugal): 1st trimester combined screening: evaluation of eight years as FMF certified laboratory

Sousa MJ, Ribeiro R, Cruz G, Albuquerque M, Sousa JG, Sousa G (Portugal): 1st trimester combined screening: impact of pregnancy complications

Sousa MJ, Ribeiro R, Cruz G, Albuquerque M, Sousa JG, Sousa G (Portugal): NIPT: Clinical implementation in Portugal

Stagnati V, Chalouhi GE, Jeddoui Z, Essaoui M, Salomon LJ, Ville Y (France): Laser for TTTS: mapping of the vascular equator prior to surgery

Stamenovic S, Milicevic S (Serbia): Adverse pregnancy outcome after false-positive result for Down syndrome

Stefanija A, Hadzi-Lega M, Dzikova E, Jovanovska V, Cibiseva V, Janusevska A (FYR Macedonia): Pregnancy in a patient with Turner syndrome

Stefanija A, Jovanovska V, Aleksioska I, Kochoski G, Nikolovska E, Lazarova A, Tanturovski M, Nikolova T, Janushevska A, Chibisheva V (FYR Macedonia): Effect of BMI on pregnancy outcomes in patients with previous caesarean section

Stefanija A, Stojovski M, Jovanovska V, Kochoski G, Stojovska Lazarova A (FYR Macedonia): Maternal characteristics associated with failure to progress in 1st stage of labor

Stojilkovic T, Jakovljevic B (Serbia): TRAP sequence

Stojovska-Lazarova A , Stojovski M, Stefanija A, Kocoski G, Nikolovska E, Aleksioska I, Tanturovski M (FYR Macedonia): A case of cervical conization during pregnancy

Stojovski M, Jovanovska V, Kocovski G, Stojovska-Lazarova A (FYR Macedonia): Delivery outcome after prior surgical treatment of cervical dysplasia

Strah D, Gersak K, Pohar Perme M (Slovenia): Increased fetal NT and normal karyotype: prenatal and postnatal outcome

Studnickova M, Lubusky M, Simetka O, Prochazka M, Ordeltova M, Vomackova K, Markova I (Czech Republic): Influence of maternal and neonatal characteristics on fetomaternal hemorrhage in normal vaginal delivery

Sugibayashi R, Velayo C, Endo M, Funamoto K, Dong Y, Ito T, Sago H, Kimura K, Yaegashi N (Japan): Relationship between r-wave amplitude and gestational age by abdominal fetal electrocardiography

Szkodziak P, Czuczwar P, Wozniak S (Poland): Common umbilical cord insertion in a monochorionic, monoamniotic twin pregnancy

Tan KL, Thia EWH, Yeo GSH (Singapore): Pleuro-amniotic shunts to reverse hydrops

Teitelbaum M, Okun N, Huang T (Canada): NIPT: The price of performance

Teregulova L, Vafina Z, Abuseva A, Toktarova O, Tayzutdinova L, Dvurechenskaya L, Varlamova I, Shipacheva O (Russian Federation): Introduction of 1st trimester screening by the FMF algorithm in the Republic of Tatarstan

Tezcan B, Watson H, Perceival S, Ramskil N, Zamblera D, Sau A (United Kingdom): Outcome of pregnancies with increased serum AFP in the 2nd trimester

Tim RC, Tynan JA, Jensen TJ, Cagasan L, Lu V, Liu L, Sovath S, Riviere M, Oeth P, Ehrich M (United States): NIPT: Stability testing in a clinical setting

Tobias P, Antolin E, Gil M, De la Calle M, Rodriguez R, Herrero B, Bartha JL (Spain): Corpus callosum abnormalities: effectiveness of prenatal diagnosis by ultrasonography

Tomas C, Torgal M, Cabral M, Santos A, Casal E, Romao F (Portugal): Prenatal diagnosis of metatropic dysplasia

Tudorache S, Cara M, Iliescu DG, Novac L, Cernea N, Dragusin R, Florea M, Patru C, Simionescu C (Romania): 1st trimester diagnostic accuracy for congenital kidneys disease

Tynan J, Iyer P, Fox J, Hogg G, Dzakula Z, Maer A, Sementchenko V, Ehrich M, Oeth P (United States): NIPT: comparison of fetal fraction in maternal plasma determined by SNP allele frequency and Y-chromosomal representation

Ugurlu EN, Lembet A, Erdogan E, Demirel C (Turkey): A case of laparoscopic cerclage during pregnancy

Ugurlu EN, Lembet A, Erdogan E, Ozdemir A, Aytakin D (Turkey): Fetal ovarian cysts

Uludag S, Aydin Y, Kalin A, Uludag S (Turkey): Maternal and fetal complications in pre-gestational and gestational diabetes

Urjindelger T, Batbold D, Mendsaikhan G, Erkhembaatar T (Mongolia): Prediction of PE and FGR by uterine artery Doppler

Uygur D, Erol N, Ozgu Erdinc AS, Salih F, Memur T, Erkaya S (Turkey): Fever and acute confusion in a postpartum patient following sublingual prostaglandin E1 administration

Uygur D, Ozgu Erdinc As, Dede H, Tasdemir U, Kaymak O, Danisman N (Turkey): Fallopian tube herniation through abdominal drain site

Vaggos G, Likoudi A, Mitselos V, Aravantinos L, Eleftheriades M (Greece): 1st trimester diagnosis of spondylocostal dysostosis presenting with increased NT

Valdoleiros S, Silva P, Gonçalves A, Correia L, Condeco P, Simões T (Portugal): To measure or not to measure the uterine scar – uterine rupture

Valenzuela-Alcaraz B, Crispi F, Bijmens B, Cruz-Lemini M, Creus M, Sitges M, Civico S, Balasch J, Gratacos E (Spain): Cardiovascular remodelling in fetuses conceived by ART

Vanes NK, Engineer N (United Kingdom): Perinatal outcome in fetuses with midtrimester echogenic bowel

Vanes NK, Lacey L, Mukherjee S (United Kingdom): A case presentation of CCAM

Vanes NK, Lal S, Mukherjee S (United Kingdom): Intracranial arachnoid cyst

Vanes NK, Mukherjee S (United Kingdom): Fetal medicine referrals and outcomes to a secondary care centre

Vaz I, Guedes-Martins L, Ferreira V, Ribeiro V, Soares C, Taipa R, Ramos U, Rodrigues MC (Portugal): Prenatal diagnosis of rhombencephalosynapsis

Vazquez Conchas ML, Diaz Martin M, Ortiz Herrera MC, Robles Cabeza L, Betancourth Zambrano AM, Garrido Luque B (Spain): Prenatal diagnosis of placental chorioangioma

Vazquez Conchas ML, Salas Robles MC, Ortiz Herrera MC, Diaz Martin M, Garrido Luque B (Spain): 1st trimester screening for aneuploidies and cardiac defects by ductus venosus Doppler

Velasco I, Santiago P, Gutierrez-Repiso C, Garcia-Fuentes E, Soriguer F (Spain): 2nd trimester serum hCG as a marker of thyroid function

Velayo C, Ito T, Dong Y, Endo M, Funamoto K, Yaegashi N, Kimura Y (Japan): Effect of antenatal steroid therapy on molecular patterns of neurodevelopmental preconditioning in a mouse model

Veropotvelyan N (Ukraine): Prenatal diagnostics of congenital anal atresia

Veropotvelyan N (Ukraine): Rare trisomies that survive to the 2nd trimester

Vlk R, Komar M, Rygl M, Hanulikova P, Maticha J, Gerny M (Czech Republic): Gastroschisis - method of delivery and neonatal outcome

Vogeler, Thiele, Dombrowski, Ruhland (Germany): Conjoined twins at 15 weeks

Vojtech J, Krofta L, Krepelka P, Haslik L, Hejda V, Feyereisl J (Czech Republic): Placenta accreta: ultrasound-MRI-clinical-histopathological correlation

Volkov AE (Russian Federation): Prenatal diagnosis of placental anomalies

Volkov AE (Russian Federation): Tumor of the umbilical cord

Wanyonyi S, Napolitano R, Ohuma E, Papageorghiou A (United Kingdom): Image-scoring system for crown-rump length measurements

Wegrzyn P, Luterek K, Bartkowiak R, Borowski D, Wielgos M (Poland): Reliability of post intrauterine transfusion hemoglobin level prediction by Astraia software

Winsor S, Torrance S, Mondal T (Canada): Prenatal diagnosis of aorto-ventricular tunnel

Wojtera J, Sobczuk K, Draga E, Krzeszowski W, Szaflik K (Poland): Intrauterine therapy and outcome in 98 cases of obstructive uropathy

Wong HS (Australia): Diagnosis of placenta accreta: which is better greyscale or Doppler?

Wong WL, Lee SL, Tan WC, Chan DKL, Tan HK (Singapore): Ultrasound presentation of supratentorial interhemispheric cysts

Wozniak S, Szkodziak P, Czuczwar P, Wozniakowska E, Milart P, Paszkowski T (Poland): Elastographic evaluation of cesarean section uterine scar

Yapar EG, Moraloglu Tekin O, Tasdemir U (Turkey): Conservative treatment of cesarean scar pregnancy at 8 weeks

Yasar-Celik E, Api O, Aktulay A, Kisa-Karakaya B, Unal O (Turkey): Prediction of PE and FGR: 1st trimester serum PAPP-A and 2nd trimester uterine artery PI and placental size

Yoruk O, Aktulay A, Oksuzoglu A, Engin-Ustun Y, Eyi EY, Erkaya S (Turkey): Dinoprostone vs. oxytocin for labor induction in women with a Bishop score of <4

Zaman S, Satodia P, Engineer N, Mehta H (United Kingdom): We have done fetal MRI – what is the outcome?

Zamora O, Soler I, Monfort I, Tormos E, Perales A (Spain): Perinatal outcome after embryo reduction and fetocide

Zawiejska A, Grewling-Szmit K, Wender-Ozegowska E, Brazert M, Pietryga M, Brazert J (Poland): Maternal metabolic status and fetal growth in GDM treated with insulin or metformin

Zhou D (China): NIPT: Clinical implementation in >50,000 pregnancies in China

Zimmerman A, Neeman O, Maymon R, Herman A (Israel): Prevention of preterm birth: cervical pessary and intravaginal progesterone vs. matched controls with and without progesterone

Zombuso CD (South Africa): Nuchal translucency scans challenges in South Africa

Zosmer N, Panaiotova J, Pereira S, Shaike H, Nicolaides KH (United Kingdom): Screening for morbid adherent placenta in high risk pregnancies

Zosmer N, Ross J, Panaiotova J, Pereira S, Nicolaides KH (United Kingdom): Cesarean scar pregnancies: diagnosis and management

Zwiefelhofer T, Whitley P, Roy K, Jean-Jacques R, Ehrich M (United States): NIPT: Detection of fetal aneuploidy by bench top sequencing

